

6 x 26 BRT EIPS

Diameter (in)	Construction	Core	Finish	Nominal Breaking Strength (tons)
1/4	6 X 36	IWRC	BRT	3.40
5/16	6 X 36	IWRC	BRT	5.27
3/8	6 X 36	IWRC	BRT	7.55
7/16	6 X 36	IWRC	BRT	10.20
1/2	6 X 36	IWRC	BRT	13.30
9/16	6 X 36	IWRC	BRT	16.80
5/8	6 x 36	IWRC	BRT	20.60
3/4	6 X 36	IWRC	BRT	29.40
7/8	6 X 36	IWRC	BRT	39.80
1	6 X 36	IWRC	BRT	51.70
1 1/8	6 X 36	IWRC	BRT	65.00
1 1/4	6 X 36	IWRC	BRT	79.90
1 1/2	6 X 36	IWRC	BRT	114.00
2	6 X 36	IWRC	BRT	198.00
2 1/4	6 X 36	IWRC	BRT	247.00
2 1/2	6 X 36	IWRC	BRT	302.00
2 3/4	6 X 36	IWRC	BRT	361.00
3	6 X 36	IWRC	BRT	425.00