


156' SUB BASIN DRAINAGE PLAN
SCALE: 1/8"=1'-0"

STORMCHAMBER SECTION
AT END CAP
SCALE: N.T.S.



GENERAL NOTES

1. DRAIN PIPES MUST BE THE BELL AND SPIGOT TYPE WITH 1/2" RING RUBBER GASKETS. THE BELLS OF THE PIPES SHALL BE Laid UPSTREAM. ALL JOINTS SHALL BE MADE WITH BUTYL GASKETS. ALL PIPES SHALL BE PROTECTED WITH 1/2" POLYETHYLENE GLASS FIBER REINFORCED PLASTIC (FRP) PROTECTIVE COATING. REINFORCE AND CLEAN BOTTOM OF DITCHES DOWN 6" IN DEPTH. REINFORCE ANY BROKEN/CRACKED PIPES OR CURBS WITH SAME SIZE AND TYPE. ANY BROKEN/CRACKED PIPES OR CURBS WITH SAME SIZE AND TYPE.
2. DRAIN PIPE AND FITTINGS WITHIN PROPERTY LINE SHALL BE POLYVINYL CHLORIDE PLASTIC PIPE MEETING CLASS 100 C-400 PVC.
3. ELEVATIONS SHOWN ARE MSL.
4. FIELD VERIFY ALL ELEVATIONS AND AND DRAINAGE SYSTEM PLACEMENT PRIOR TO START OF WORK.
5. PROVIDE VERTICAL ELBOW AT DOWNPOINTS FOR CONNECTION TO SURFACE DRAINAGE WHERE INDICATED. ELBOW ID SHALL BE SIZED SUCH THAT THE DOWNPOINT CAN BE INSERTED INTO THE PIPE OPENING WITHOUT DEFORMATION TO THE DOWNPOINT.

DAMMON
ENGINEERING, INC.
1015 J. J. A. W. I. S. S. I. P. I.
SUITE 1000
NEW ORLEANS, LA 70119
PHONE: 504.586.1588
WWW.DAMMONENGINEERING.COM

RESIDENCE JOSEPHINE CONDOMINIUMS
2100 St. Thomas St.
New Orleans, Louisiana 70130

SCALE: AS SHOWN
DATE: 01-11-16
FILE NAME: SUB BASIN DRAINAGE PLAN

STEVEN J. PINEGAN ARCHITECTS, LTD.
A PROFESSIONAL CORPORATION
123 S. Pierce St. - New Orleans, LA 70119
(504) 488-5744 www.stevengiganarchitect.com
E-mail: stevefingegan@hcoo.com

NO.	DATE	REVISIONS

C1.5

This drawing is the property of STEVEN J. PINEGAN ARCHITECTS, LTD. It is not to be reproduced, copied, or altered in whole or in part. It is not to be used for any purpose without the approval of STEVEN J. PINEGAN ARCHITECTS, LTD. and is to be returned on request.