



1 PROPOSED SITE PLAN
SCALE: NTS



2 PROPOSED SITE PLAN
SCALE: NTS



3 PROPOSED SITE PLAN
SCALE: NTS

LEGEND

- 40 APARTMENT UNITS
 - 14 APARTMENT BUILDINGS
 - 2 APARTMENT COMPLEXES
- 3176 SQ. FT.
- 9442 SQ. FT.
- PROPERTY LINE
- SETBACK LINE

DAMMON
ENGINEERING, INC.
LOUISIANA & MISSISSIPPI

Chief Engineer: Brian Wistich, PE
554 Old Spanish Trail
Slidell, LA 70468

www.dammoneengineering.com
info@dammoneengineering.com
PH: 985.649.3832

#	DESCRIPTION	REVISIONS	DATE

SEAL:

PROPOSED SITE PLAN
PAPERS
APARTMENTS



JOB No: 2531 PASS ROAD BILOXI, MS 39531
DATE: 2-8-2024
DRAWN BY: JMS
CHECKED BY: CKD

SHEET TITLE:
PROPOSED SITE PLAN

DRAWING NUMBER:
C101

SHEET No: 1 of 1

FILE NAME: A:\PROJECTS\2024\24-0001\2024-0001.dwg Plot Date: 2/5/2024 10:14:38 AM Plot Path: A:\PROJECTS\2024\24-0001\2024-0001.dwg



22 FLOOR PLAN
SCALE: 1/4" = 1'-0"

GENERAL NOTES

- INSULATION AND INSULATION ASSEMBLIES SHALL MEET THE REQUIREMENTS OF IBC 2012 SECTION 719.
 - CONCEALED INSULATION SHALL HAVE A FLAME SPREAD OF 0-25 AND SMOKE DEVELOPED INDEX OF 0-450, EXCEPT THAT IN COMBUSTIBLE (WOOD FRAME) CONSTRUCTION.
 - FACING SHALL COMPLY WITH IBC 2012.
- ALL MATERIALS SHALL BE NEW AND UL LISTED.
- NO WORK SHALL BE CONCEALED UNTIL APPROVED BY LOCAL INSPECTORS.
- CONSTRUCTION SHALL COMPLY WITH ALL PARISH, STATE, AND LOCAL CODES.
- CONTRACTOR TO GUARANTEE WORK FOR ONE YEAR FROM DATE OF SUBSTANTIAL COMPLETION.
- CONTRACTOR SHALL FURNISH WATER AND POWER FROM EXISTING SOURCES.
- EXTERIOR CAULKING SHALL BE THIKAL CAULK.
- PAINT SHALL BE SHERWIN WILLIAMS OR EQUIVALENT AND APPROPRIATE FOR THE SUBSTRATE TO WHICH IT IS APPLIED AS RECOMMENDED BY PAINT MANUFACTURER. ALL WORK TO RECEIVE THREE COATS (ONE PRIMER COAT, TWO FINISH COATS) UNLESS OTHERWISE RECOMMENDED BY PAINT MANUFACTURER. COLORS TO BE SELECTED BY OWNER.
- PROVIDE CLEANUP ON A REGULAR BASIS. NO TRASH SHALL BE STORED INSIDE BUILDING PREMISES.
- ALL BATT INSULATION SHALL HAVE A CLASS "A" (0-25) FLAME SPREAD IN COMPLIANCE WITH IBC 2012.
- USE 2X6 STUDS, OR TWO 2X4 STAGGERED STUDS WITH 2X6 SILL PLATE AT ALL WALLS WHERE 4" PIPE IS INDICATED. SEE PLUMBING RISER DIAGRAM FOR PIPE SIZE.
- PROVIDE GALVANIZED METAL PAN WITH DRAIN AT ALL WATER HEATERS.
- ALL FLOORING SHALL MEET OR EXCEED ADA GUIDELINES REQUIREMENTS FOR SLIP RESISTANCE.
- INTERIOR LOCKS ON DOORS IN MEANS OF EGRESS SHALL NOT REQUIRE THE USE OF A KEY, SPECIAL KNOWLEDGE, OR SPECIAL DEVICE TO OPEN IN THE DIRECTION OF EGRESS. ALL DOORS SHALL HAVE LEVER TYPE HANDLES.
- INTERIOR WALLS AND CEILING SHALL HAVE A FLAME SPREAD OF 0-200 AND A SMOKE DEVELOPMENT RATING OF 0-450.
- ALL WORK SHALL COMPLY WITH THE LATEST EDITION OF ALL LOCAL, STATE, AND NATIONAL CODES COVERING THE TYPE OF WORK BEING PERFORMED.
- PROVIDE PORTABLE FIRE EXTINGUISHERS IN ACCORDANCE WITH NFPA 101. SEE APPENDIX "E" OF NFPA 101 FOR DISTRIBUTION OF EXTINGUISHERS.
- ALL FIRE WALLS SHALL EXTEND TIGHT TO ROOF DECK AND BE SEALED WITH AN APPROVED FIRE CAULK.
- ALL ELECTRICAL, MECHANICAL, AND PLUMBING MATERIALS PENETRATING FIRE WALLS SHALL BE FIRE CAULKED. (PENETRATIONS THROUGH RATED CONSTRUCTION SHALL BE SEALED WITH A MATERIAL CAPABLE OF PREVENTING THE PASSAGE OF FLAMES AND HOT GASES WHEN TESTED IN ACCORDANCE WITH ASTM-E814.)
- SERVICE COUNTERS SHALL HAVE AN ACCESSIBLE WRITING SURFACE IN COMPLIANCE WITH ADAAG ACCESSIBILITY GUIDELINES 2010, SECTION 902.3.

DAMMON
ENGINEERING, INC.
LOUISIANA & MISSISSIPPI

www.dammonengineering.com
info@dammonengineering.com
PH: 985.649.8832
Chief Engineer: Brian Mitchell, PE
554 Old Spanish Trail
Stellat, LA 70458

#	DESCRIPTION	DATE

SEAL:

PROPOSED SITE PLAN
P A S S R O A D S
A P A R T M E N T S


2024 PASS ROAD,
BOULDER, MS 39231

JOB No: ??? | DATE: 2-5-2024
DRAWN BY: CKD | CHECKED BY: JMS


SHEET TITLE:
FLOOR PLAN

DRAWING NUMBER:


THE OWNER: JAS - ARCHITECTURE, One River at Riverchase Court, Birmingham, AL 35244, Phone: (205) 985-6499, Fax: (205) 985-6832




1 FRONT ELEVATION
SCALE: 1/8"=1'-0"




2 LEFT SIDE ELEVATION
SCALE: 1/8"=1'-0"




3 REAR ELEVATION
SCALE: 1/8"=1'-0"




4 RIGHT SIDE ELEVATION
SCALE: 1/8"=1'-0"




5 FRONT ELEVATION
SCALE: 1/8"=1'-0"



6 LEFT SIDE ELEVATION
SCALE: 1/8"=1'-0"



7 REAR ELEVATION
SCALE: 1/8"=1'-0"



8 RIGHT SIDE ELEVATION
SCALE: 1/8"=1'-0"

DAMMON
ENGINEERING, INC.
LOUISIANA & MISSISSIPPI

www.dammonengineering.com
info@dammonengineering.com
PH: 985.649.8832
Chief Engineer: Brian March, PE
554 Old Spanish Trail
Stellat, LA 70458

#	DESCRIPTION	DATE

SEAL:

PROPOSED SITE PLAN
P A S S R O A D S
A P A R T M E N T S

SHEET TITLE:
EXTERIOR ELEVATIONS

DRAWING NUMBER:
A102
SHEET No: 1 of 1

JOB No: 2951 PASS ROAD,
BLOOM, MS 39531
DATE: 2-9-2024
DRAWN BY: CSD
CHECKED BY: JAS