



LEGEND:

- - - - - PROPERTY LINE
- NEW BUILDING
- - - - - NEW DRAIN LINE
- NEW DROP INLET w/TEMP. SILT FENCING
- ↔ SLOPE LINES
- # T.O. GRATE ELEVATION
- ⊕ INVERT ELEVATION
- .00 NEW ELEVATIONS
- x00.00' EXISTING ELEVATIONS

- NOTES:**
- 1) DRAIN PIPE & FITTINGS WITHIN PROPERTY LINE SHALL BE POLYVINYL CHLORIDE PLASTIC PIPE, MEETING CLASS 100 C-900 PVC.
 - 2) ELEVATIONS SHOWN ARE M.S.L.
 - 3) FIELD VERIFY ALL ELEVATIONS AND DRAINAGE SYSTEM PLACEMENT PRIOR TO START OF WORK.
 - 4) MUCK OUT FOR FOUNDATION PAD TO UNDISTURBED SOIL CAPABLE OF 1500 PSF BEARING.
 - 5) DOWN SPOUTS SHALL FLOW INTO SUB-SURFACE DRAINAGE.
 - 6) THERE IS NO EVIDENCE OF EXISTING OFF-SITE FLOW CROSSING THE PROPERTY.

DAMMON ENGINEERING
Architects & Engineers

dammoneng.com
dammoneng@bellsouth.net
PHONE: 985-649-5832
FAX: 985-641-5950

CHIEF ENGINEER: BARNETT DAMMON, P.E.
CHIEF ARCHITECT: KEVIN KINCHEN
554 OLD SPANISH TRAIL
SUITE 100, SUDDRETT, LA 70458

TABERNACLE BAPTIST CHURCH
NEW FELLOWSHIP HALL
2445 FOURTH STREET
SUDDRETT, LA 70458

JOB No: 2171 DATE: 04-30-2013 CHECKED BY: CD
DRAWN BY: JCT

#	DESCRIPTION	DATE



432476
REVIEWED FOR
STATE FIRE MARSHAL
AS PER REVIEW LETTER
BY: WILLIAM D. JONES, ARCHITECT, CEO
William D. Jones

DRAINAGE PLAN
SHEET No: 5 OF 13

C3