

FLOOR PLAN
SCALE 3/16" = 1'


231 OCCUPANTS

NOTE VERIFY ALL
STEEL SIZES AND/OR
LOCATIONS WITH
METAL BUILDING
MANUFACTURER PRIOR
TO CONSTRUCTION


GA FILE NO. WP 1072 GENERIC

ONE LAYER 5/8" TYPE X GYPSUM WALLBOARD OR GYPSUM VENEER BASE
APPLIED PARALLEL OR AT RIGHT ANGLES TO EACH SIDE OF 3-5/8" STEEL
STUDS 24" O.C. WITH 1" TYPE S DRYWALL SCREWS 8" O.C. AT VERTICAL
JOINTS AND 12" O.C. AT FLOOR AND CEILING RUNNERS AND INTERMEDIATE
STUDS.

JOINTS STAGGERED 24" ON EACH SIDE AND ON OPPOSITE SIDES. SOUND
TESTED WITH 3-12" GLASS FIBER FRICTION FIT IN STUD SPACE. (NON-LOAD
BEARING)



1 HOUR FIRE 45 TO 48 STC SOUND
THICKNESS:
APPROX. WEIGHT:
FIRE TEST:
4-7/8"
6-7/8"
SEE WP 1200
(FM WP-45, 6-19-88);
OSU T-11770, 8-61;
ULC 797484, 79T500, 79T497,
8-12-81, ULC DESIGN W415)
NRC 816-NV, 2-3-81



DAMMON ENGINEERING, INC.
CHIEF ENGINEER
EMMETT DAMMON, P.E.
CHIEF ARCHITECT
ROBERT WILTSE

1095 FLORIDA AVENUE
SUDDLE, LA. 70458
OFFICE: 985-649-5832
FAX: 985-641-5950

WEBSITE:
WWW.DAMMONENGINEERING.COM
EMAIL:
DAMMONENG@BELL.SOUTH.NET

ARCHITECTURE
ENGINEERING
STUDIES
PLANNING
INVESTIGATION
EXPERT WITNESS

NEW
CHURCH
TABERNACLE
BAPTIST
CHURCH
2445 FOURTH ST.
SUDDLE, LA

FLOOR
PLAN

REV: 4-21-10
SCALE: AS NOTED
JOB#: 2050
DATE 2-8-10

SHEET 12

A-1