

FILE NAME: A:\PROJECTS\2463 - Community Baptist Church - 2463 - 2463.dwg DATE: 10/10/2025 10:00:00 AM



**7 PROPOSED DRAINAGE SITE PLAN**  
SCALE: 1" = 20'-0"

ADDITIONAL IMPERVIOUS AREA RESULTS IN A NEGLIGIBLE CHANGE FROM THE EXISTING RUNOFF COEFFICIENT (C) AND RATE OF RUNOFF AND DRAINAGE PATTERNS ARE TO REMAIN THE SAME.

442 SQ. FT. OF ADDITIONAL IMPERVIOUS AREA

AVERAGE EXISTING GRADE ELEVATION FOR THE PROPERTY TO REMAIN THE SAME

**DRAINAGE NOTES**


1. PROVIDE POSITIVE DRAINAGE AWAY FROM BLDG AND SHALL SLOPE TOWARDS EXISTING DITCHES AND CULVERTS.
2. ALL DISTURBED AREAS SHALL BE FULLY SOGDED AND SLOPED OUT.

**DRAINAGE LEGEND**

x 0.00' EXISTING ELEVATIONS  
← FLOW DIRECTION

**DAMMON ENGINEERING, INC.**  
LOUISIANA & MISSISSIPPI  
www.dammonengineering.com  
info@dammonengineering.com  
Chief Engineer: Brian Mistich, PE  
554 Old Spanish Trail  
Slidell, LA 70468  
PH: 985.649.5832 F: 985.441.9590

| # | DESCRIPTION | DATE |
|---|-------------|------|
|   |             |      |
|   |             |      |
|   |             |      |
|   |             |      |



**COMMUNITY CHURCH**  
55419 BADON RD  
SLIDELL, LA 70460  
JOB No: 2463 DATE: 10/10/2025  
DRAWN BY: BAM CHECKED BY: C&D

SHEET TITLE:  
PROPOSED DRAINAGE SITE PLAN

DRAWING NUMBER:

**C102**

SHEET No: 4 of 15