


**PARKING REQUIREMENTS**  
 1 SPACE / 300 SQ. FT. OF RETAIL SPACE  
 5,127 SQ.FT. / 300 = 17 PARKING SPACES REQUIRED  
 17 REGULAR / 2 HANDICAP PROVIDED  
 TOTAL PARKING PROVIDED = 19


NOTE: EXTERIOR LIGHTING SHALL BE SHADED OR INWARDLY DIRECTED IN SUCH A MANNER SO THAT NO DIRECT LIGHTING OR GLARE IS CAST BEYOND THE PROPERTY LINE. THE INTENSITY OF SUCH LIGHTING SHALL NOT EXCEED ONE FOOT CANDLE AS MEASURED AT THE ABUTTING PROPERTY LINE.



SITE PLAN  
 SCALE: 1"=20'-0"

- LEGEND**
- PROPERTY LINE
  - NEW BUILDING
  - ⊕ HANDICAPPED PARKING
  - ⊕ HANDICAPPED PARKING SIGN
  - S--- SEWER LINE
  - W--- WATER LINE
  - ☀ LIGHT POLE
  - CATCH BASIN
  - ☒ LITTER RECEPTACLE

- LANDSCAPE REQUIREMENTS**
- SOUTHERN LIVE OAK, 4" CALIPER, MINIMUM HEIGHT OF 12' AND AND 5' FOOT SPAN, PLANTED ONE EVERY 30' O.C.
  - RED OAK TREE-MINIMUM OF 12' HIGH, CALIPER OF 2-1/2" ONE PER 30' O.C.
  - SHRUB, ONE PER 10' O.C.



VICINITY MAP  
 SCALE: N.T.S.

SITE PLAN

GRISWOLD PROPERTIES  
 2117 GAUSE BLVD. E  
 SLIDELL, LOUISIANA

NEW OFFICE BUILDING

**DAMMON ENGINEERING, INC.**  
 1095 FLORIDA AVENUE 985-649-5832 SLIDELL, LA. 70458  
 DAMMONENGINEERING.COM

SCALE: AS NOTED

FILE:

JOB NO. 1550

DATE: 11-15-05

SHEET 2

C-1

OF 13