



GA FILE NO. WP 1072 GENERIC

ONE LAYER 5/8" TYPE X GYPSUM WALLBOARD OR GYPSUM VENEER BASE APPLIED PARALLEL OR AT RIGHT ANGLES TO EACH SIDE OF 3-5/8" STEEL STUDS 24" O.C. WITH 1" TYPE S DRYWALL SCREWS 8" O.C. AT VERTICAL JOINTS AND 12" O.C. AT FLOOR AND CEILING RUNNERS AND INTERMEDIATE STUDS.

JOINTS STAGGERED 24" ON EACH SIDE AND ON OPPOSITE SIDES. SOUND TESTED WITH 3-1/2" GLASS FIBER FRICTION FIT IN STUD SPACE. (NON-LOAD BEARING)



THICKNESS: APPROX. WEIGHT: 6 PSF

SOUND TEST: NRCC 816-NV, 2-3-81

FLOOR PLAN
SCALE: 3/16" = 1'

NOTE: ALL DIMENSIONS ARE TO FACE OF STUD, EXCEPT COLUMN GRID LINES, UNLESS OTHERWISE NOTED.

#	DESCRIPTION	DATE

GREEN-STATEFARM RETAIL COMPLEX-TENANT BUILDOUT
 381-391 GAUSE BOULEVARD, WEST
 SUDELL, LOUISIANA

JOB No: DATE: 11-28-2012
 DRAWN BY: JTL CHECKED BY:

DAMMON ENGINEERING, INC.
Architects & Engineers

CHIEF ENGINEER: EMMETT DAMMON, P.E.
 CHIEF ARCHITECT: ROBERT WILTSE
 654 OLD SPANISH TRAIL
 SUDELL, LA 70459

dammonengineering.com
 dammoneng@bellsouth.net
 PHONE: 985-649-5933
 FAX: 985-641-5950

FLOOR PLAN WITH NEW TOILET PLUMBING

A-1