

 **FREE SHIP TO STORE<sup>†</sup> OR HOME\*. NOW AVAILABLE ON OVER 300,000 ITEMS.**



Your Store: **New Orleans Central #385** [\(Change\)](#)

## NuTone ValueTest 50 CFM Wall/Ceiling Mount Exhaust Bath Fan

Model # 696N Internet # 100081599 Store SKU # 126313

**\$13.97 / each**



This item cannot be shipped to the following state(s):  
AK, GU, HI, PR, VI

**Ships FREE with \$45.00 Order**

**Buy Online, Pick Up In Store Today**  
**Check Store Inventory**

## PRODUCT OVERVIEW

The NuTone ValueTest Wall/Ceiling 50 CFM Bath Fan is ideal for baths up to 45 sq. ft. It is also suitable for utility and recreation rooms up to 60 sq. ft. The attractive yet functional white polymeric grille has torsion springs that allow adjustment for thickness variances in ceilings or walls.

### Info & Guides

**Instructions / Assembly**

- 50 CFM reduces moisture to prevent mildew growth
- Motor operates at 4.0 sones
- Manages moisture in bathrooms up to 45 sq. ft. and other rooms up to 60 sq. ft.
- White polymeric grille blends in with most ceilings and features torsion springs that adjust for thickness variances in ceilings or walls
- UL-listed; safe for use over tub or shower enclosure when installed in a GFCI protected branch circuit
- HVI-2100 certified
- Extra-large outlet box area
- Installs in ceilings or 2 in. x 4 in. wall studs; mounts on either a 16 in. or 24 in. O.C. joist or stud
- 3 in. duct
- MFG Model # : 696N
- MFG Part # : 696N

### Warranty

You will need Adobe® Acrobat® Reader to view PDF documents. [Download](#) a free copy from the Adobe Web site.

## SPECIFICATIONS

Assembled Depth (in.)	7.25 in	Assembled Height (in.)	3.625 in
Assembled Width (in.)	7.5 in	Ceiling or Wall Installation	Ceiling or Wall
Certifications and Listings	1-UL Listed,HVI Certified	Color Family	Whites
Energy Star Compliant	No	Fan Sound Level (Sones)	4 or more
Features	Fan Only	Grille material	Specialty
Housing Material	Galvanized Steel	Humidity Sensing	No
Light	No	Manufacturer Warranty	Limited 1 year
Maximum Room Size	45 ft <sup>2</sup>	Motion Sensing	No
Mounting Style	Surface Mount	Nightlight	No
Product Depth (in.)	3.625	Product Length (in.)	7.25 in

Product Weight (lb.)	3.2	Product Width (in.)	7.5 in
Remote Control	No	Returnable	90-Day
Timer	No		

---

## SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow an additional 3-5 business days for **Standard Ground Delivery** in the U.S. Orders for this item may be expedited for an additional fee.

Other Delivery Options:

**Expedited Delivery:** Delivery the second business day.

**Express Delivery:** Delivery the next business day.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

---