



- NOTES:
1. THIS ALTERNATE INCLUDES STAIRWAY DOOR RAISED TO THE HEIGHT OF THE CATWALK AROUND THE CHILLER PLATFORM.
 2. PLATFORM SHALL CONSIST OF 1-1/2" X 1-1/2" X 1/2" ANGLE WELDED TO EQUIPMENT PLATFORM WITH 3/6" WIDE EXPANDED METAL WALK SURFACE W/ 1-1/2" X 1-1/2" X 1/2" RUNNERS.
 3. ALL EXISTING DRAINS IN ROOF TO BE REMOVED WITH ACCEPTANCE OF THIS ALTERNATE. PLUG DRAIN HOLES.
 4. PROVIDE FLASHING AROUND ALL BUILDINGS AND PROTRUSIONS THRU ELEVATED ROOF DECK.



BLEND EIFS INTO EXISTING WALL

1'-3 1/4"

EQUIPMENT PLATFORM ISOMETRIC
N. 1. S.



ROOT AROUND ALL PIPES AS THEY PASS THROUGH ROOF DECKING

ROOF DETAIL A
SCALE: 3/8" = 1'-0"
S51S6

REVISED: 02/19/07

SCALE: AS NOTED	FILE:	JOB NO. 1729	DATE: 1-8-07
SHEET	S-6	OF	

RENOVATE OFFICE BUILDING

DAMMON ENGINEERING, INC.

1095 FLORIDA AVENUE 985-649-5832 SLIDELL, LA. 70458
DAMMONENGINEERING.COM

ROOF RENOVATION DETAILS

ST. TAMMANY PARISH ADMIN. COMPLEX
520 OLD SPANISH TRAIL
SLIDELL, LOUISIANA