



**MARK NUMBER KEY** EN50A1

COMMON GENERATED MARK NUMBERS  
EN50A1V5 R 11/04/2005

F = FEET	G = GAGE	CX*** = COLUMN <PLATE>
I = INCHES	D = OPERATION	CGX*** = COLUMN <GAGE>
E = EIGHTHS	C = FIN/COLOR	WCX*** = COLUMN <HOTROLL>
PANEL/COVERING		
V 1 3 1 1 7 2 6 1 K T D	RBX*** = RAFTER <PLATE>	
* F F I I E G G O C C C	BGX*** = RAFTER <GAGE>	
LENGTH CODE	WRX*** = RAFTER <HOTROLL>	
	TRX*** = TRUSS RAFTER	
INSULATION		
I B 1 3 0 1 0 3 6 0 3 0 W V	ICX*** = INTERIOR COLUMN	
* * F F F I I I I I E C C	PCX*** = PIPE COLUMN	
LENGTH WIDTH THK CODE	TCX*** = TUBE COLUMN	
SECONDARY (STANDARD)		
O I G 1 9 1 1 4 1 7	EPX*** = ENDPST <PLATE>	
* * * F F I I E G G	EGX*** = ENDPST <GAGE>	
LENGTH CODE		
SECONDARY (SPECIAL)		
O 0 1 G 1 9 1 1 4 1 7	CBX*** = CANDPY <PLATE>	
* * * F F I I E G G	DCCBX*** = CANDPY <GAGE>	
LENGTH CODE	CBX*** = PIGGYBACK CANDPY	
ROD BRACING		
O 3 R A 2 5 1 0		
I E * * F F I I		
DIA LENGTH		

**SECONDARY PUNCH PATTERNS** EN51A1

COMMON GENERATED MARK NUMBERS  
EN51A1V2 R 03/16/2005

LAP		INTERIOR		MEMBER DEPTHS	
6"	1'	6"	1'	6"	1'
END BAY	END BAY	BAY	BAY	6 1/2"	8 1/2"
1'-0"	20	30	40	6 1/2"	8 1/2"
1'-6"	21	31	41	6 1/2"	8 1/2"
2'-0"	22	32	42	6 1/2"	8 1/2", 11 1/2"
3'-0"	24	34	44	6 1/2"	8 1/2", 11 1/2"
4'-0"	26	36	46	6 1/2"	8 1/2", 11 1/2"

THE VP ENGINEER'S SEAL APPLIES ONLY TO THE WORK PRODUCT OF VP AND DESIGN AND PERFORMANCE REQUIREMENTS SPECIFIED BY VP. THE VP ENGINEER'S SEAL DOES NOT APPLY TO THE PERFORMANCE OR DESIGN OF ANY OTHER PRODUCT OR COMPONENT FURNISHED BY VP EXCEPT TO ANY DESIGN OR PERFORMANCE REQUIREMENTS SPECIFIED BY VP.

THIS DRAWING, INCLUDING THE INFORMATION HEREON, REMAINS THE PROPERTY OF VP BUILDINGS. IT IS PROVIDED SOLELY FOR ERECTING THE BUILDING DESCRIBED IN THE APPLICABLE PURCHASE ORDER AND SHALL NOT BE MODIFIED, REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF VP BUILDINGS.

THE GENERAL CONTRACTOR AND/OR ERECTOR IS SOLELY RESPONSIBLE FOR ACCURATE, GOOD QUALITY WORKMANSHIP IN ERECTING THIS BUILDING IN CONFORMANCE WITH THIS DRAWING, DETAILS REFERENCED IN THIS DRAWING, ALL APPLICABLE VP ERECTION GUIDES, AND INDUSTRY STANDARDS PERTAINING TO PROPER ERECTION, INCLUDING THE CORRECT USE OF TEMPORARY BRACING.

**VP Buildings**

3200 Players Club Circle Memphis TN 38125

REV	DATE	BY	DESCRIPTION

NTS

**BUILDING SED'S**

BUILDER	Broadmoor, LLC	JOBNO	08-28914EP3
CUSTOMER	John F. Stennis Space Center	DATE	4/30/09
LOCATION	Stennis Space Center, Mississippi	DRAWN/CHECK	BR BR
PROJECT	Riverine and Combatant Craft Operations Facility	PAGE	22

VP BUILDINGS  
VARCO PRUDEN  
A BlueScope Steel Company  
VFC VERSION: 7.19