




****NOTE****
 1. This building has been rotated 90 for clarity.

| Covering Schedule | | | |
|-------------------|------|----------------|------------|
| Type | Gage | FINISH | COLOR |
| B Deck | 22 | G60 GALVANIZED | GALVANIZED |



ROOF "B" DECK LAYOUT - LEAN-TO & BELOW EAVE CANOPY

Shape Name = Operations Building, Shape = Operations Building Lean-to, Shape = Operations Building Lean-to

1. UNLESS NOTED, USE 1/2 X 1 1/2 A-325 SNUG TIGHTENED BOLTS FOR PURLIN LAP, PURLIN TO FRAME, FLANGE BRACE TO FRAME, AND FLANGE BRACE TO PURLIN CONNECTIONS.
 2. WIND, FLANGE, AND PURLIN BRACING ARE AN INTEGRAL PART OF THE ROOF STRUCTURAL SYSTEM AND SHOULD BE PROPERLY INSTALLED PRIOR TO ERECTION OF WALL AND ROOF SHEETS. REMOVAL OR ALTERATION OF ROOF BRACING WITHOUT PRIOR AUTHORIZATION IS PROHIBITED.

THE VP ENGINEER'S SEAL APPLIES ONLY TO THE WORK PRODUCT OF VP AND DESIGN AND PERFORMANCE REQUIREMENTS SPECIFIED BY VP. THE VP ENGINEER'S SEAL DOES NOT APPLY TO THE PERFORMANCE OR DESIGN OF ANY OTHER PRODUCT OR COMPONENT FURNISHED BY VP EXCEPT TO ANY DESIGN OR PERFORMANCE REQUIREMENTS SPECIFIED BY VP.

THIS DRAWING, INCLUDING THE INFORMATION HEREON, REMAINS THE PROPERTY OF VP BUILDINGS. IT IS PROVIDED SOLELY FOR ERECTING THE BUILDING DESCRIBED IN THE APPLICABLE PURCHASE ORDER AND SHALL NOT BE MODIFIED, REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF VP BUILDINGS.

THE GENERAL CONTRACTOR AND/OR ERECTOR IS SOLELY RESPONSIBLE FOR ACCURATE, GOOD QUALITY WORKMANSHIP IN ERECTING THIS BUILDING IN CONFORMANCE WITH THIS DRAWING, DETAILS REFERENCED IN THIS DRAWING, AND ALL APPLICABLE VP ERECTION GUIDES, AND INDUSTRY STANDARDS PERTAINING TO PROPER ERECTION. THE CORRECT USE OF TEMPORARY

| VP Buildings | | | |
|---|------|----|-------------|
| 3200 Players Club Circle Memphis TN 38125 | | | |
| REV | DATE | BY | DESCRIPTION |
| | | | |
| | | | |
| | | | |

| ROOF "B" DECK LAYOUT - LEAN-TO & BELOW EAVE CANOPY | | | |
|--|--|------|-----------|
| BUILDER | Broadmoor, LLC | | |
| CUSTOMER | John F. Stennis Space Center | | |
| LOCATION | Stennis Space Center, Mississippi | | |
| PROJECT | Riverine and Combatant Craft Operations Facility | | |
| JOB # | 08-28914 | DATE | 2/12/2009 |
| DRAWN/CHECKED | BY/VP | | |