



FLOOR PLAN
SCALE: 1/4" = 1'-0"
TOTAL SQ. FT. = 2220 SF



DOOR & HARDWARE SCHEDULE

MARK	SIZE	DOOR TYPE	FRAME	HWR. NO.	STC	REMARKS
EXTERIOR DOORS						
1	3'0x7'0	STORE FRONT	MATCH DOOR	1	NA	STOREFRONT UNIT, SEE ELEVATIONS
2	3'0x6'6	FLUSH GALV. HCL. MET. STEEL INSUL. ROLL-UP SHOP DOOR	GALV. PTD HCL. MET.	1	NA	GALVANIZING TO BE G90
3	6'0x8'0	SHOP DOOR	GALV. PTD HCL. MET.	NA	NA	
INTERIOR DOORS						
4	3'0x6'6	FLUSH SOLID CORE WD.	PTD. HCL. MET.	2	NA	
5	3'0x6'6	FLUSH SOLID CORE WD.	PTD. HCL. MET.	3	NA	45 MIN. FIRE RATED DOOR SYSTEM
6	2'0x4'0	FLUSH SOLID CORE WD.	PTD. HCL. MET.	NA	NA	MOUNT DOOR AT HEIGHT REQUIRED FOR AC RETURN GRILLE BELOW STAIN SELECT BY OWNER
7	3'0x6'6	FLUSH SOLID CORE WD.	PTD. HCL. MET.	4	NA	
8	3'0x6'6	CASED OPENING	CASED OPENING	NA	NA	
9	(2) 1'0x6'6	FLUSH SOLID CORE WD.	PTD. HCL. MET.	NA	NA	

1 HOUR RATED FIREWALL

REF. DESIGN NO. WHI 651-0489.01

DESCRIPTION: 5/8" FIRE-SHIELD TYPE X WALLBOARD SCREW ATTACHED VERTICALLY TO BOTH SIDES OF 3-5/8" 20ga. STEEL STUDS 16" O.C. WALLBOARD JOINTS STAGGERED.

STC TEST No. 40

BASED ON NGC 2501

UL U495

UL V416

GA WP 1201

2-1/2" FIBERGLASS INSULATION IN CAVITY

43

BASED ON NGC 2502

WINDOW SCHEDULE

MARK	SIZE	WINDOW TYPE	FRAME	GLASS	LITES	REMARKS
A	4'0 x 4'0	ALUMINUM STOREFRONT	ALUMINUM 2" x 4-1/2"	LOW E		SEE EXTERIOR ELEVATIONS

WINDOW SCHEDULE NOTES:
1. GLAZING TO BE DIBC GLAZED LAMINATED LOW E.

FINISH SCHEDULE

ROOM NUMBER	ROOM NAME	WALLS	EXTEND WALL TO ROOF DECK (CARDINAL DIRECTION)	FLOOR	WALL BASE	WAINSCOT	CLG	CLG HGT	COMMENTS
100	RECEPTION	5/8" PTD GMB	-	VCT	RB	NONE	CT	8'	
101	WARMING KITCHEN	5/8" PTD GMB	W	VCT	RB	NONE	CT	8'	
102	OFFICE	5/8" PTD GMB	W	CRP	RB	NONE	CT	8'	
103	OFFICE	5/8" PTD GMB	W	CRP	RB	NONE	CT	8'	
104	OFFICE	5/8" PTD GMB	-	CRP	RB	NONE	CT	8'	
105	SHOP	BY OWNER	E	-	RB	NONE	CT	8'	
106	MEN TOILET	5/8" PTD GMB	-	VCT	RB	NONE	CT	8'	
107	WOMEN TOILET	5/8" PTD GMB	-	VCT	RB	NONE	CT	8'	

FINISH SCHEDULE NOTES:
1. ALL FINISH MATERIALS TO BE SELECTED BY OWNER. VERIFY MANUFACTURER, STYLE, AND COLOR WITH OWNER.

LEGEND:

- GMB: GYPSUM WALL BOARD
- CT: CEILING TILE 2x2'
- RB: RUBBER BASE 4" HIGH
- WB: WOOD BASE
- VCT: VINYL COMPOSITION TILE (MOR-SHD)
- CRP: COMMERCIAL LOW PILE CARPET, GUE DOWN, NO PAD
- KT: INTERLOCKING RUBBER TILES
- RT: 1" CERAMIC TILE
- EXS: EXPOSED STRUCTURE

<p>FLOOR PLAN</p> <p>SHEET No: 05 OF 11</p> <p>A1</p>	<p>REVISIONS</p> <table border="1"> <thead> <tr> <th>#</th> <th>DESCRIPTION</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	#	DESCRIPTION	DATE				<p>MOREAU'S THERMAL SERVICE</p> <p>PHANE MOREAU 200 JEFFERSON STREET SUDELL, LA 70458</p> <p>JOB No: 2127 DATE: 03-20-2013</p> <p>DRAWN BY: JCT CHECKED BY: CD</p>	<p>DAMMON ENGINEERING, INC. Architects & Engineers</p> <p>CHIEF ENGINEER: EMMETT DAMMON, P.E. CHIEF ARCHITECT: KEVIN KINCHEN 554 OLD SPANISH TRAIL SUDELL, LA 70458</p> <p>dammoneengineering.com dammonee@bellsouth.net PHONE: 985-649-5832 FAX: 985-641-5950</p>
	#	DESCRIPTION	DATE						