



DAMMON ENGINEERING, INC.

CHIEF ENGINEER EMMETT DAMMON, P.E.

CHIEF ARCHITECT ROBERT WILTSE

1095 FLORIDA AVENUE SUDELL, LA. 70458 OFFICE: 985-649-5832 FAX: 985-641-5950

WEBSITE: WWW.DAMMONENGINEERING.COM

EMAIL: DAMMONENG@Bellsouth.net

ARCHITECTURE ENGINEERING STUDIES PLANNING INVESTIGATION EXPERT WITNESS

PAUL MITCHELL SCHOOL 3321 HESSMER AVE METAIRIE, LA 70002

PANEL SCHEDULE

REV:

SCALE: AS NOTED

JOB#:2051

DATE: 01-04-10

SHEET

E-8

PANEL PNL-7 LOCATION: RM 316 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 200A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL PNL-8 LOCATION: RM 316 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 200A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL PNL-9 LOCATION: RM 316 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 200A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL PNL-10 LOCATION: RM 316 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 225A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL PNL-3 LOCATION: RM 211 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 200A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL PNL-4 LOCATION: RM 211 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 200A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL PNL-5 LOCATION: RM 215 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 200A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL PNL-6 LOCATION: RM 316 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 200A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL MDP LOCATION: RM 106 FEEDER SOURCE: ENERGY. VOLTAGE: 120/208V, 1000A 3Ø, 4W MAIN BRKR. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL LG LOCATION: RM 106 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 200A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL PNL-1 LOCATION: RM 106 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 200A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

PANEL PNL-2 LOCATION: RM 211 FEEDER SOURCE: MDP. VOLTAGE: 120/208V, 200A 3Ø, 4W. ENCLASURE: SURFACE MOUNTED WEIQUPMENT GND BAR SQUARE D TYPE QO LOAD CENTER OR EQUAL.

NOT APPROVED FOR CONSTRUCTION