




- LEGEND:**
- PROPERTY LINE
 - UTILITY / EASEMENT LINE
 - - - BUILDING SETBACK MINIMUM
 - - - LANDSCAPING SETBACK MINIMUM
 - - - NEW BUILDING
 - - - NEW DRAIN LINE
 - NEW DROP INLET w/TEMP. SILT FENCING
 - ↘ SLOPE LINES
 - # T.O. GRADE ELEVATION
 - ⊕ INVERT ELEVATION
 - NEW ELEVATIONS
 - T.O.C. - TOP OF CURB ELEVATIONS
 - EXISTING ELEVATIONS
 - - - TEMPORARY SILT FENCING
 - - - REAR SETBACK
 - - - SIDE SETBACK



GUTTERS AND DOWN SPOUTS TO BE SEAMLESS ALUMINUM 24 GAUGE. GUTTERS TO BE TOSEE IN CROSS SECTION. MINIMUM 6\"/>

- NOTES:**
- 1) DRAIN PIPE & FITTINGS WITHIN PROPERTY LINE SHALL BE POLYVINYL CHLORIDE PLASTIC PIPE MEETING CLASS 100 C-900 PVC.
 - 2) ELEVATIONS SHOWN ARE M.S.L.
 - 3) FIELD VERIFY ALL ELEVATIONS AND DRAINAGE SYSTEM PLACEMENT PRIOR TO START OF WORK.
 - 4) MUCK OUT 24\"/>
 - 5) TO UNDISTURBED SOIL CAPABLE OF 1500 PSF BEARING.
 - 6) DOWN SPOUTS SHALL FLOW INTO SUB-SURFACE DRAINAGE PROPERT. NEW DRAINAGE CALCULATIONS ARE DETERMINED ACCORDINGLY.

DAMMON ENGINEERING, INC.
 CHIEF ENGINEER: EMILLET DAMMON, P.E.
 CHIEF ARCHITECT: ROBERT WILTSE

1095 FLORIDA AVENUE
 SUDDLL, LA. 70458
 OFFICE: 985-649-5832
 FAX: 985-641-5950
 WWW.DAMMONENGINEERING.COM

NEW CHURCH
 TABERNACLE BAPTIST CHURCH
 2445 FOURTH AVE
 SUDDLL, LA

SCALE: AS NOTED
 JOB#: 2050
 DATE: 2-8-10
 SHEET 6

C-5

REV:
 OF 25