


FLOOR PLAN
SCALE: 1/4" = 1'



GA FILE NO. WP 1072 GENERIC

1 HOUR FIRE 45 TO 48 STC SOUND

ONE LAYER 88" TYPE X GYPSUM WALLBOARD OR GYPSUM VENEER BASE
SPUNLEAD PAPER ON AT RIGHT ANGLES TO EACH SIDE OF 3/8" STEEL
STUDS AND 1/2" O.C. AT FLOOR AND CEILING RUNNERS AND INTERMEDIATE
STUDS
JOINTS AND 12" O.C. AT FLOOR AND CEILING RUNNERS AND INTERMEDIATE
STUDS
JOINTS STAGGERED 24" ON EACH SIDE AND ON OPPOSITE SIDES SOUND
BEARING)
TESTED WITH 3-1/2" GLASS FIBER FRICION FIT IN STUD SPACE (NON-LOAD
BEARING)
SOUND TEST:
4.20"
APPROX. 4 P.S.
FIRE TEST:
SEE WP 1000
(FM WP 445, 6-13-88)
OSU 15-7704, 8-81;
OSU 15-7704, 8-81;
812-81 (ULC DESIGN WA 51)
NRC C 818-ANV, 2-3-81



DAMMON
ENGINEERING, INC.
CHIEF ENGINEER
EMMETT
DAMMON, P.E.
CHIEF ARCHITECT
ROBERT
WILTSE

554 OLD SPANISH TRAIL
SLIDELL, LA, 70458
OFFICE: 985-649-5632
FAX: 985-641-5950
WEBSITE:
WWW.DAMMONENGINEERING.COM
EMAIL:
DAMMONENG@Bellsouth.net

ARCHITECTURE
ENGINEERING
STUDIES
PLANNING
INVESTIGATION
EXPERT WITNESS

NEW
CHURCH

FIRST BAPTIST
CHURCH
64541 HWY 3081
PEARL RIVER, LA
70452

FLOOR
PLAN

REV:
SCALE: AS NOTED
JOB#: 2108
DATE: 04-26-11
SHEET 3

OF 14
A-1