



LEGAL DESCRIPTION	501 J.F. SMITH AVE. SLIDELL, LA
SITE LIGHTING	EXTERIOR LIGHTING SHALL BE SHADDED OR INWARDLY DIRECTED IN SUCH A MANNER SO THAT NO DIRECT LIGHTING OR GLARE BE CAST BEYOND THE PROPERTY LINE. THE INTENSITY OF SUCH LIGHTING SHALL NOT EXCEED ONE FOOT CANDLE AS MEASURED AT THE ABUTTING PROPERTY LINE. (N/A)
PARKING REQUIREMENTS	TOTAL BLDG. ADDITION = 13,500 S.F. REQUIREMENT - ONE SPACE PER 1,000 S.F. OF STORAGE AREA PLUS 1 SPACE PER EACH 350 S.F. OF OFFICE, SALES, OR OTHER SPACE TO BE USED BY VISITORS, CUSTOMERS, OR SALESMEN. WAREHOUSE AREA = 7,250 S.F.; REQUIRES 7 PARKING SPACES DOCKING AREA DOES NOT REQUIRE PARKING SPACES TOTAL REQUIRED PARKING = 7 SPACES (INCLUDING 1 HANDICAP SPACE) TOTAL PROVIDED PARKING = 7 SPACES (INCLUDING 1 HANDICAP SPACE)
REV:	
SCALE:	AS NOTED
JOB#:	1938
DATE:	3-17-08
SHEET	C-2

**DAMMON ENGINEERING, INC.**  
 CHIEF ENGINEER: EMMETT DAMMON, P.E.  
 CHIEF ARCHITECT: ROBERT WALTSE

1095 FLORIDA AVENUE  
 SLIDELL, LA. 70458  
 OFFICE: 985-649-5832  
 FAX: 985-641-5950

WEBSITE: WWW.DAMMONENGINEERING.COM  
 EMAIL: DAMMONENG@BLSOUTH.NET

ARCHITECTURE  
 ENGINEERING  
 STUDIES  
 PLANNING  
 INVESTIGATION  
 EXPERT WITNESS

**SAL & JUDY'S**  
 501 J.F. SMITH AVE.  
 SLIDELL, LA

WAREHOUSE ADDITION