


GA FILE NO. WP 1072 GENERIC

ONE LAYER 5/8" TYPE X GYPSUM WALLBOARD OR GYPSUM VENEER BASE APPLIED PARALLEL OR AT RIGHT ANGLES TO EACH SIDE OF 3-5/8" STEEL STUDS 24" O.C. WITH 1" TYPE S DRYWALL SCREWS 8" O.C. AT VERTICAL JOINTS AND 12" O.C. AT FLOOR AND CEILING RUNNERS AND INTERMEDIATE STUDS.

JOINTS STAGGERED 24" ON EACH SIDE AND ON OPPOSITE SIDES. SOUND TESTED WITH 3-1/2 GAUGE FIBER FRICTION RT IN STUD SPACE. (NON-LOAD BEARING)



1 HOUR FIRE 45 TO 49 STC SOUND
 THICKNESS: 4-7/8"
 APPROX. WEIGHT: 6 PSF
 FIRE TEST: SEE WP 1200 (RM.WF.45, 6-19-09); OBU T-1770, 8-6-11; UIC 791484, 791500, 791497, 8-1-2011; UIC DESIGN W4 151 NRCC 816-INV, 2-3-81

1 HR SEPARATION DETAIL

NTS

FLOOR PLAN
 SCALE: 3/16"=1'



NOTE: ALL DIMENSIONS ARE TO FACE OF STUD, EXCEPT COLUMN GRID LINES, UNLESS OTHERWISE NOTED.

#	DESCRIPTION	DATE

GREEN-STATEFARM RETAIL COMPLEX-TENANT BUILDOUT

381-391 GAUSE BOULEVARD, WEST
 SUDELL, LOUISIANA

JOB No: DATE: 11-28-2012
 DRAWN BY: JTL CHECKED BY:



DAMMON
 ENGINEERING, INC.
Architects & Engineers

CHIEF ENGINEER: EMMETT DAMMON, P.E.
 CHIEF ARCHITECT: ROBERT WILTSE
 554 OLD SPANISH TRAIL
 SUDELL, LA 70458

dammoneengineering.com
 dammoneng@bellsouth.net
 PHONE: 905-649-5832
 FAX: 905-641-5950

A-1

FLOOR PLAN WITH EXISTING PLUMBING

SHEET NO: