


GA FILE NO. WP 1072 GENERIC

ONE LAYER 5/8" TYPE X GYPSUM WALLBOARD OR GYPSUM VENER BASE APPLIED PARALLEL OR AT RIGHT ANGLES TO EACH SIDE OF 3-5/8" STEEL STUDS 24" O.C. WITH 1" TYPE S DRYWALL SCREWS 8" O.C. AT VERTICAL JOINTS AND 12" O.C. AT FLOOR AND CEILING RUNNERS AND INTERMEDIATE STUDS.

JOINTS STAGGERED 24" ON EACH SIDE AND ON OPPOSITE SIDES. SOUND TESTED WITH 3-1/2" GLASS FIBER FRICTION FIT IN STUD SPACE (NON-LOAD BEARING)



THICKNESS: 4-7/8"
APPROX. WEIGHT: 6 P/SF
FIRE TEST: SEE WP 1200 (FM WP-45, 6-19-68); OSU T-1770, 8-61; ULC 7914/44, 791500, 791497, 8-12-81, ULC DESIGN W415)
SOUND TEST: NRCC 816-NV, 2-3-81

FLOOR PLAN
SCALE: 3/16"=1'

NOTE: ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE NOTED.

#	DESCRIPTION	DATE

GREEN-STATEFARM RETAIL COMPLEX-TENANT BUILDOUT
381-391 CALISEE BOULEVARD, WEST SUDELL, LOUISIANA

JOB No: DATE: 12-11-2012
DRAWN BY: JTL CHECKED BY:



DAMMON ENGINEERING INC.
Architects & Engineers

CHIEF ENGINEER: EMMETT DAMMON, P.E.
CHIEF ARCHITECT: ROBERT WILTSE
554 OLD SPANISH TRAIL SUDELL, LA 70445

dammoneng.com
dammoneng@bellsouth.net
PHONE: 905-649-5032
FAX: 905-641-5950

REVISED LATEST FLOOR PLAN SCHEME - D

A-1

1 HR SEPARATION DETAIL
NTS