



CLOSE THE OPENING WITH LIGHT GAUGE METAL FRAME AND SHEATHING TO MATCH EXISTING ELEVATOR TOWER

FIRST FLOOR STRUCTURAL PLAN

SCALE: 1/8" = 1'-0"

NEW COLUMNS, BEAMS & ROOF- SEE SHT. A-1

- NOTES:**
- ELEVATOR CONTRACTOR SHALL RELOCATE 1ST FLOOR STOPS TO ACCOUNT FOR RAISING FLOOR 3".
 - INSTALL 4" SCHEDULE 40 PIPE COLUMN W/ 6" X 8" X 1/2" PLATE T & B @ FLOORS 1 THRU 6 TO SUPPORT EXISTING HORIZONTAL WF BEAM PRESENTLY ATTACHED TO VERTICAL COLUMN AT EXTERIOR OF WALL. WELD NEW COLUMN TO BOTTOM OF EXISTING BEAM ABOVE. REMOVE EXTERIOR COLUMN, TRIM BEAM TO WALL AND ADD NEW SIDING TO MATCH. PATCH INTERIOR WALL (4 LAYERS OF 5/8" GYPSUM W/ GYP. BOARD).
 - ALL MISC. STEEL SHALL BE ASTM A36.

320959
 REVIEWED FOR STATE FIRE MARSHAL AS PER REVIEW LETTER BY WILLIAM D. JONES, ARCHITECT, CBO
 WILLIAM D. JONES
 REVISED 8/31/10
 SEE SHEET A1 FOR RATED CONSTRUCTION LOCATIONS

RESTAMP / LOST PLANS

320959
 REVIEWED FOR STATE FIRE MARSHAL AS PER REVIEW LETTER BY WILLIAM D. JONES, ARCHITECT, CBO
 WILLIAM D. JONES

☁ = ADDENDUM 7 CHANGE

ADDENDUM 7 REVISED: 08/20/07ob
 REVISED: 05/21/07
 REVISED: 03/07/07