

DOOR & HARDWARE SCHEDULE

MARK	DETAILS	SIZE	DOOR TYPE	FRAME	HWDR. NO.	STC	REMARKS
EXTERIOR DOORS							
1	12-13 A1.20	14-14 A1.20	PR. 3/0 x 7/0	ALUM. STOREFRONT	-	NA	FULL GLAZED LITE GLAZING TO MATCH WINDOWS
2	12-17 A1.20	14-14 A1.20	PR. 3/0 x 7/0	GALV. PTD. STEEL INSUL.	-	NA	4"x24" VISION LITE, GLAZING TO MATCH WINDOWS - RATED 1 HR.
3	12-19 A1.20	14-14 A1.20	PR. 2/10 x 7/0	GALV. PTD. STEEL INSUL.	-	NA	
4	12-13 A1.20	14-14 A1.20	4/0 x 7/0	GALV. PTD. STEEL INSUL.	-	NA	4"x24" VISION LITE, GLAZING TO MATCH WINDOWS
5	12-13 A1.20	14-14 A1.20	3/6 x 7/0	GALV. PTD. STEEL INSUL.	-	NA	4"x24" VISION LITE, GLAZING TO MATCH WINDOWS, RATED
6	12-13 A1.20	14-14 A1.20	3/0 x 7/0	GALV. PTD. STEEL INSUL.	-	NA	4"x24" VISION LITE, GLAZING TO MATCH WINDOWS
7	26-27 A1.21	28-28 A1.21	26/0 x 16/0	GALV. PTD. STEEL INSUL.	-	NA	OVERHEAD DOOR
8	26-27 A1.21	28-28 A1.21	12/0 x 16/0	GALV. PTD. STEEL INSUL.	-	NA	OVERHEAD DOOR
INTERIOR DOORS							
9	18-19 A1.21	19-19 A1.21	PR. 3/0 x 6/8	PTD. STEEL INSUL.	-	50	
10	-	-	5/0 x 6/8	HOL. METAL CASED OPENING	-	NA	
11	-	-	4/0 x 7/4	CMU CASED OPENING	-	NA	SHOWER ROD & CURTAINS
12	-	-	3/6 x 6/8	VAULT DOOR	-	NA	DOOR W/ DAYGATE
13	15-16 A1.20	16-16 A1.20	3/6 x 6/8	PTD. STEEL	-	NA	1 HR. MIN. RATED ASSEMBLY, 4"x24" VISION LITE GLAZING SHALL BE CLEAR
14	15-16 A1.20	16-16 A1.20	3/0 x 7/0	PTD. STEEL	-	NA	
15	15-16 A1.20	16-16 A1.20	3/0 x 7/0	PTD. STEEL INSUL.	-	40	
16	15-16 A1.20	16-16 A1.20	3/0 x 7/0	PTD. STEEL INSUL.	-	40	
17	15-16 A1.20	16-16 A1.20	3/0 x 7/0	PTD. STEEL	-	NA	1 HR. MIN. RATED ASSEMBLY, 4"x24" VISION LITE GLAZING SHALL BE CLEAR
18	15-16 A1.20	16-16 A1.20	3/0 x 7/0	PTD. STEEL	-	NA	4"x24" VISION LITE, GLAZING SHALL BE CLEAR
19	-	-	3/0 x 7/4	CMU CASED OPENING	-	NA	SHOWER ROD & CURTAINS
20	18-19 A1.21	19-19 A1.21	3/0 x 6/8	PTD. STEEL INSUL.	-	42	4"x24" VISION LITE, GLAZING SHALL BE CLEAR
21	18-19 A1.21	19-19 A1.21	3/0 x 6/8	PTD. STEEL INSUL.	-	45	4"x24" VISION LITE, GLAZING SHALL BE CLEAR
22	18-19 A1.21	19-19 A1.21	3/0 x 6/8	PTD. STEEL INSUL.	-	45	
23	18-19 A1.21	19-19 A1.21	3/0 x 6/8	PTD. STEEL INSUL.	-	42	
24	18-19 A1.21	19-19 A1.21	3/0 x 6/8	PTD. STEEL	-	NA	
25	18-19 A1.21	19-19 A1.21	3/0 x 6/8	PTD. STEEL	-	NA	
26	18-19 A1.21	19-19 A1.21	3/0 x 6/8	PTD. STEEL INSUL.	-	45	

WINDOW SCHEDULE

MARK	DETAILS	SIZE	DOOR / WINDOW TYPE	FRAME	GLASS	LITES	REMARKS
WINDOW SCHEDULE							
A	20-21 A1.22	22-22 A1.22	FIXED	ALUMINUM	TINTED INSULATED, LOW-E	NONE	BLINDS, SEE NOTE 1
B	20-21 A1.22	22-22 A1.22	FIXED	ALUMINUM	TINTED INSULATED, LOW-E	NONE	BLINDS, SEE NOTE 1
C	23-24 A1.22	25-25 A1.22	FIXED	ALUMINUM	TINTED INSULATED, LOW-E		
D	20-21 A1.22	22-22 A1.22	FIXED	HOLLOW METAL	INSULATED, LOW-E		SEE NOTE 1 & 2

FINISH SCHEDULE

ROOM NUMBER	ROOM NAME	WALLS C3010 (NOTE 3)	STC REQD./PRVD.	EXTEND WALL TO DECK ABOVE	FLOOR C3020	WALL BASE C302008 (NOTE 1)	CEILING C3030 (NOTE 3)	CLG. HT.	CABINETRY	NOTES	SQ. FT. REQD./PRVD.	COMMENTS
FIRST FLOOR												
100	CANOPY ENTRANCE	EXTERIOR	NA / 48		CONC	MS	12'-0"				NA/44'	6'x9'-4"; PROVIDE RECESSED MATS
101	REAR ENTRY	IRWT/EP	42 / 48	YES	QVT	GWB	9'-0"			(NOTE 2) (NOTE 5)	NA/20'	PROVIDE RECESSED MATS
102	ENTRY	IRWT/EP	NA / 48		QVT	GWB	10'-0"			(NOTE 8)	NA/426'	PROVIDE RECESSED MATS
103	LOBBY	EXTERIOR	NA / 48		CONC	PS/MP1	12'-6"			(NOTE 8)	NA/45'	
104	SIDE ENTRY	EP	NA / 48		CONC	FP	12'-6"			(NOTE 5)	3825' / 4516'	
105	CAGES	P	40 / 48		CONC	ACT	9'-0"			(NOTE 5)	1500' / 1484'	
106	CSS	EP	40 / 48		CONC	GWB	9'-0"				51' / 59'	
107	ARMORY	PT	40 / 48		PT	GWB	9'-0"				48' / 45'	
108	SHOWER	EP	NA / 48		CONC	PS	12'-6"			(NOTE 5)	270' / 204'	
109	HEAD	PT	40 / 48		PT	GWB	9'-0"				180' / 191'	
110	JANITOR	EP	40 / 48		CONC	PS	12'-6"			(NOTE 5)	120' / 155'	
111	MALE HEAD	PT	40 / 48		PT	GWB	9'-0"				400' / 267'	PROVIDE RECESSED MATS
112	MALE SHOWER	PT	40 / 48		PT	GWB	9'-0"				NA/66'	
113	MAIN ELECTRICAL ROOM	P	42 / 50	YES	CONC	PS	12'-6"			(NOTE 5) (NOTE 6)		
114	MECHANICAL ROOM	P	50 / 50	YES	CONC	PS	12'-6"			(NOTE 5) (NOTE 6)		
115	INTERIOR STAIRS	EP	NA / 48		QVT/RT	PS/MP1	12'-6"			(NOTE 5)		
116	VESTIBULE	EP	NA / 48	YES	QVT	GWB	10'-0"					
SECOND FLOOR												
200	CORRIDOR	IRWT/EP	NA / 45		QVT	ACT	9'-6"				NA/983'	PROVIDE RECESSED MATS @ ENTRY
201	TELCOMM ROOM	P	42 / 45	YES	QVT	GWB	9'-6"				120' / 148'	FURR DOWN AROUND WIND BEAM AS REQ'D.
202	RADIO ROOM	P	45 / 45	YES	QVT	GWB	9'-6"				200' / 197'	FURR DOWN AROUND WIND BEAM AS REQ'D.
203	MISSION BRIEFING ROOM(S) FOR 24	P	45 / 45	YES	CPPT-1	ACT	9'-6"				1050' / 1085'	
204	RIVERINE TASK UNIT COMMANDER OFFICE	P	42 / 45	YES	CPPT-1	ACT	9'-6"				660' / 339'	
205	RIVERINE TASK UNIT OFFICE	P	42 / 45	YES	CPPT-1	ACT	9'-6"			(NOTE 4)	300' / 205'	
206	RIVER OPS CONTROL WATCH STATION	P	42 / 45	YES	CPPT-1	ACT	9'-6"				360' / 389'	
207	SQUADRON INTEROPERABILITY TASK UNIT COMMANDER OFFICE	P	45 / 45	YES	CPPT-1	ACT	9'-6"				480' / 855'	
208	SQUADRON INTEROPERABILITY TASK UNIT OFFICE	P	45 / 45	YES	CPPT-1	ACT	9'-6"				360' / 399'	
209	RIVERINE TASK UNIT COMMANDER OFFICE	P	42 / 45	YES	CPPT-1	ACT	9'-6"				660' / 324'	
210	RIVERINE TASK UNIT OFFICE	P	42 / 45	YES	CPPT-1	ACT	9'-6"				270' / 197'	
211	MALE HEAD	PT	40 / 45		PT	GWB	9'-6"				36' / 32'	
212	FEMALE HEAD	PT	40 / 45		PT	GWB	9'-6"				120' / 327'	
213	MECHANICAL/ELECTRICAL ROOM	P	50 / 51	YES	CONC	PS	VARIES			(NOTE 7)	35' / 31'	
214	JANITOR	EP	NA / 45		PT	GWB	9'-6"				400' / 267'	
215	INTERIOR STAIRS	EP	NA / 48	YES	QVT/RT	ACT	9'-6"				NA/74'	
216	COPY AREA	P	NA / 45		CPPT-1	ACT	9'-6"				NA/122'	
217	CHART ROOM	P	NA / 45		CPPT-1	ACT	9'-6"					
BOAT MAINTENANCE / STAGING BUILDING												
	BOAT SPACES	EP/MP1	NA		CONC	PS/MP1				(NOTE 5)		
	MAINTENANCE SPACE	EP/MP1	NA		CONC	PS/MP1				(NOTE 5)		

NOTES:

- PROVIDE RB AT ALL GWB WALLS.
- INCLUDES ENTRANCE FACILITY, TELECOMMUNICATIONS ROOMS AND OTHER SERVER/PLAN ROOMS.
- PAINT ALL STRUCTURAL STEEL COLUMNS, BRACING AND OTHER STRUCTURAL MEMBERS UNLESS INDICATED OTHERWISE.
- PROVIDE DECK-HIGH COUNTERTOP ALONG WINDOWS AND BASE CABINETS, WALL CABINETS AND COUNTERTOP AT COFFEE MESS.
- "PAINTED STRUCTURE" INCLUDES ALL VERTICAL AND HORIZONTAL STRUCTURAL MEMBERS OCCURRING WITHIN THIS SPACE.
- ELECTRICAL AND MECHANICAL ROOMS ON FIRST FLOOR SHALL USE Mineral-1200.2" INDUSTRIAL BOARD.
- ELECTRICAL AND MECHANICAL ROOMS ON SECOND FLOOR SHALL USE Mineral TYPICAL SOUND BARRIER ASSEMBLIES STC 51.
- PROVIDE PERTE MAT - ALUMINUM HINGE RECESSED MAT. FRAME 551: ALUMINUM, RECESSED. FRAME 548 MAY BE SUBSTITUTED.
- EXPOSED CONDUIT, JB, DUCTWORK, ETC. IN EXPOSED PAINTED STRUCTURE AREAS SHALL BE ALSO PAINTED.
- MAINTAIN REQUIRED ROOM STC RATING ABOVE CEILING BY EXTENDING STC CONSTRUCTION TO ROOF DECK, OR BY PROVIDING STC RATING AT CEILING.

RECORD DRAWING
LETTER DATED -
5-27-10



FINISH LEGEND

ACT	ACOUSTICAL CEILING TILE
CONC	SEALED CONCRETE
CPPT-1	CARPET TILE TYPE 1
CPPT-2	CARPET TILE TYPE 2
EP	EPOXY PAINT
GWB	GYP/SUM WALL BOARD
IRWT	IMPACT RESISTANT WALL TREATMENT SYSTEM ENH ST. 10-85
MP1	MASTER PAINTER'S MISTAKE (MP)
MS	METAL SOFTIT
P	PAINT
PS	PAINTED STRUCTURE
PT	PORCELAIN TILE
QVT	QUARTZ VINYL TILE
RB	RUBBER BASE
RT	RUBBER STAIR TREADS
FP	FIREPROOFING

DEPARTMENT OF THE NAVY
NAVAL FACILITIES ENGINEERING COMMAND SOUTHEAST
NAVAL AIR STATION JACKSONVILLE
IPT GULF COAST

JOHN C. STENNIS SPACE CENTER MISSISSIPPI

SOF RIVERINE AND COMBATANT CRAFT OPERATIONS FACILITY - PRE-FINAL

DOOR, WINDOW & FINISH SCHEDULES

DESIGNED BY: R. WINTERS
CHECKED BY: R. WINTERS
REVIEWED BY: R. WINTERS
CHIEF ENGINEER/ARCHT. P. DAMMON

DAMMON ENGINEERING, INC.
10500 P. O. BOX 1000
DAMMON, P. O. BOX 1000
SHREVEPORT, LA 70584
(985) 649-5832
September 4, 2009

AS-BUILT CONDITIONS SHOWN
REVISED FOR FINAL
REVISED AS PER URS COMMENTS 9 OCTOBER 2009

DESCRIPTION	DATE	APPR
	12-2-10	RW
	12-7-09	RW
	11-6-09	RW

DATE