

DOOR & HARDWARE SCHEDULE

MARK	DETAILS	SIZE	DOOR TYPE	FRAME	HWDR. NO.	STC	REMARKS
EXTERIOR DOORS							
1	12 A1.20	13 A1.20	14 A1.20	PR. 3/0 x 7/0	ALUM. STOREFRONT	ALUM. PTD. STEEL	FULL GLAZED LITE GLAZING TO MATCH WINDOWS
2	12 A1.20	17 A1.20	14 A1.20	PR. 3/0 x 7/0	GAUV. PTD. STEEL INSUL.	PTD. STEEL	4"x24" VISION LITE, GLAZING TO MATCH WINDOWS - RATED 1 HR.
3	12 A1.20	13 A1.20	14 A1.20	PR. 2/10 x 7/0	GAUV. PTD. STEEL INSUL.	PTD. STEEL	
4	12 A1.20	13 A1.20	14 A1.20	4/0 x 7/0	GAUV. PTD. STEEL INSUL.	PTD. STEEL	4"x24" VISION LITE, GLAZING TO MATCH WINDOWS
5	12 A1.20	13 A1.20	14 A1.20	3/6 x 7/0	GAUV. PTD. STEEL INSUL.	PTD. STEEL	4"x24" VISION LITE, GLAZING TO MATCH WINDOWS, RATED
6	12 A1.20	13 A1.20	14 A1.20	3/0 x 7/0	GAUV. PTD. STEEL INSUL.	PTD. STEEL	4"x24" VISION LITE, GLAZING TO MATCH WINDOWS
7	26 A1.21	27 A1.21	28 A1.21	26/0 x 16/0	GAUV. PTD. STEEL INSUL.	PTD. STEEL	OVERHEAD DOOR
8	26 A1.21	27 A1.21	28 A1.21	12/0 x 16/0	GAUV. PTD. STEEL INSUL.	PTD. STEEL	OVERHEAD DOOR
INTERIOR DOORS							
9	18 A1.21	19 A1.21	-	PR. 3/0 x 6/8	PTD. STEEL INSUL.	PTD. STEEL	50
10	-	-	-	5/0 x 6/8	HOL. METAL CASED OPENING	PTD. STEEL	NA
11	-	-	-	4/0 x 7/4	OMU CASED OPENING	NA	SHOWER ROD & CURTAINS
12	-	-	-	3/6 x 6/8	VAULT DOOR	PTD. STEEL	NA
13	15 A1.20	16 A1.20	-	3/6 x 6/8	PTD. STEEL	PTD. STEEL	1 HR. MIN. RATED ASSEMBLY, 4"x24" VISION LITE GLAZING SHALL BE CLEAR
14	15 A1.20	16 A1.20	-	3/0 x 7/0	PTD. STEEL	PTD. STEEL	NA
15	15 A1.20	16 A1.20	-	3/0 x 7/0	PTD. STEEL INSUL.	PTD. STEEL	40
16	15 A1.20	16 A1.20	-	3/0 x 7/0	PTD. STEEL INSUL.	PTD. STEEL	40
17	15 A1.20	16 A1.20	-	3/0 x 7/0	PTD. STEEL	PTD. STEEL	1 HR. MIN. RATED ASSEMBLY, 4"x24" VISION LITE GLAZING SHALL BE CLEAR
18	15 A1.20	16 A1.20	-	3/0 x 7/0	PTD. STEEL	PTD. STEEL	NA
19	-	-	-	3/0 x 7/4	OMU CASED OPENING	NA	SHOWER ROD & CURTAINS
20	18 A1.21	19 A1.21	-	3/0 x 6/8	PTD. STEEL INSUL.	PTD. STEEL	4"x24" VISION LITE, GLAZING SHALL BE CLEAR
21	18 A1.21	19 A1.21	-	3/0 x 6/8	PTD. STEEL INSUL.	PTD. STEEL	4"x24" VISION LITE, GLAZING SHALL BE CLEAR
22	18 A1.21	19 A1.21	-	3/0 x 6/8	PTD. STEEL INSUL.	PTD. STEEL	45
23	18 A1.21	19 A1.21	-	3/0 x 6/8	PTD. STEEL INSUL.	PTD. STEEL	42
24	18 A1.21	19 A1.21	-	3/0 x 6/8	PTD. STEEL	PTD. STEEL	NA
25	18 A1.21	19 A1.21	-	3/0 x 6/8	PTD. STEEL	PTD. STEEL	NA
26	18 A1.21	19 A1.21	-	3/0 x 6/8	PTD. STEEL INSUL.	PTD. STEEL	45

WINDOW SCHEDULE

MARK	DETAILS	SIZE	DOOR / WINDOW TYPE	FRAME	GLASS	LITES	REMARKS
A	20 A1.22	21 A1.22	22 A1.22	3/4 x 4/0	TINTED INSULATED, LOW-E	NONE	BLINDS, SEE NOTE 1
B	20 A1.22	21 A1.22	22 A1.22	4/0 x 3/6	TINTED INSULATED, LOW-E	NONE	BLINDS, SEE NOTE 1
C	23 A1.22	24 A1.22	25 A1.22	12/0 x 6/2	TINTED INSULATED, LOW-E	NONE	
D	20 A1.22	21 A1.22	22 A1.22	3/4 x 4/0	HOLLOW METAL INSULATED, LOW-E	NONE	

FINISH SCHEDULE

ROOM NUMBER	ROOM NAME	WALLS (C3010 NOTE 3)	STC REQD./PRVD.	EXTEND WALL TO DECK ABOVE	FLOOR (C3020)	WALL BASE (C30208 NOTE 1)	CEILING (C3030 NOTE 3)	CLG. HT.	CABINETRY	NOTES	SO. FT. REQD./PRVD.	COMMENTS
FIRST FLOOR												
100	CANOPY ENTRANCE	NA	NA		CONC	MS	12'-0"				NA/44'	6'x9'-4"; PROVIDE RECESSED MATS
101	REAR ENTRY	EXTERIOR	NA / 48		CONC	MS	9'-0"			(NOTE 8)	NA/20'	PROVIDE RECESSED MATS
102	ENTRY	RHW/EP	42 / 48	YES	QVT	GWB	10'-0"			(NOTE 2) (NOTE 5) (NOTE 8)	120 / 114'	PROVIDE RECESSED MATS
103	LOBBY	RHW/EP	NA / 48		QVT	GWB	10'-0"			(NOTE 8)	NA/426'	PROVIDE RECESSED MATS
104	SIDE ENTRY	EXTERIOR	NA / 48		CONC	PS/MPI	12'-6"			(NOTE 8)	NA/45'	
105	PAGES	EP	NA / 48		CONC	FP	12'-6"			(NOTE 5)	3825 / 4516'	
106	CSS	P	40 / 48		CONC	ACT	9'-0"			(NOTE 5)	120 / 220'	
107	ARMORY	EP	NA / 48		CONC	PS/MPI	11'-0"			(NOTE 5)	1500 / 1484'	
108	SHOWER	PT	40 / 48		PT	GWB	9'-0"				51 / 59'	
109	HEAD	PT	40 / 48		PT	GWB	9'-0"				48 / 45'	
110	JANITOR	EP	NA / 48		CONC	PS	12'-6"			(NOTE 5)	35 / 28'	
111	MALE HEAD	PT	40 / 48		PT	GWB	9'-0"				270 / 204'	
112	MALE SHOWER	PT	40 / 48		PT	GWB	9'-0"				180 / 191'	
113	MAIN ELECTRICAL ROOM	P	42 / 50	YES	CONC	PS	12'-6"			(NOTE 5) (NOTE 6)	120 / 155'	
114	MECHANICAL ROOM	P	50 / 50	YES	CONC	PS	12'-6"			(NOTE 5) (NOTE 6)	120 / 130'	
115	INTERIOR STAIRS	EP	NA / 48		QVT/RT	PS/MPI	12'-6"			(NOTE 5)	400 / 267'	
116	VESTIBULE	EP	NA / 48	YES	QVT	GWB	10'-0"				NA/66'	PROVIDE RECESSED MATS
SECOND FLOOR												
200	CORRIDOR	RHW/EP	NA / 45		QVT	ACT	9'-6"				NA/983'	PROVIDE RECESSED MATS @ ENTRY
201	TELECOM ROOM	P	42 / 45	YES	QVT	GWB	9'-6"				120 / 148'	FURR DOWN AROUND WIND BEAM AS REQ'D
202	RADIO ROOM	P	45 / 45	YES	CPTT-1	GWB	9'-6"				200 / 197'	FURR DOWN AROUND WIND BEAM AS REQ'D
203	MISSION BREWING ROOM(S) FOR 24	P	45 / 45	YES	CPTT-1	ACT	9'-6"				1050 / 1085'	
204	RIVERINE TASK UNIT COMMANDER OFFICE	P	42 / 45	YES	CPTT-1	ACT	9'-6"				360 / 395'	
205	RIVERINE TASK UNIT OFFICE	P	42 / 45	YES	CPTT-1	ACT	9'-6"				660 / 339'	
206	RIVER OPS CONTROL WATCH STATION	P	42 / 45	YES	CPTT-1	ACT	9'-6"			(NOTE 4)	300 / 205'	
207	SQUADRON INTEROPERABILITY TASK UNIT COMMANDER OFFICE	P	45 / 45	YES	CPTT-1	ACT	9'-6"				360 / 389'	
208	SQUADRON INTEROPERABILITY TASK UNIT OFFICE	P	45 / 45	YES	CPTT-1	ACT	9'-6"				480 / 855'	
209	RIVERINE TASK UNIT COMMANDER OFFICE	P	42 / 45	YES	CPTT-1	ACT	9'-6"				360 / 399'	
210	RIVERINE TASK UNIT OFFICE	P	42 / 45	YES	CPTT-1	ACT	9'-6"				660 / 324'	
211	MALE HEAD	PT	40 / 45		PT	GWB	9'-6"				270 / 197'	
212	FEMALE HEAD	PT	40 / 45		PT	GWB	9'-6"				36 / 32'	
213	MECHANICAL/ELECTRICAL ROOM	P	50 / 51	YES	CONC	PS	VARIABLES			(NOTE 7)	120 / 327'	
214	JANITOR	EP	NA / 45		PT	GWB	9'-6"				35 / 31'	
215	INTERIOR STAIRS	EP	NA / 48	YES	QVT/RT	PS/MPI	9'-6"				400 / 267'	
216	COPY AREA	P	NA / 45		CPTT-1	ACT	9'-6"				NA/74'	
217	CHART ROOM	P	NA / 45		CPTT-1	ACT	9'-6"				NA/122'	
BOAT MAINTENANCE / STAGING BUILDING												
BOAT SPACES		EP/MPI	NA		CONC	RB	PS/MPI			(NOTE 5)		
MAINTENANCE SPACE		EP/MPI	NA		CONC	RB	PS/MPI			(NOTE 5)		

NOTES:

- PROVIDE RB AT ALL GWB WALLS.
- INCLUDES ENTRANCE FACILITY, TELECOMMUNICATIONS ROOMS AND OTHER SERVER/LAN ROOMS.
- PAINT ALL STRUCTURAL STEEL COLUMNS, BRACING AND OTHER STRUCTURAL MEMBERS UNLESS INDICATED OTHERWISE.
- PROVIDE DESK-HIGH COUNTERTOP ALONG WINDOWS AND BASE CABINETS, WALL CABINETS AND COUNTERTOP AT COFFEE MESS.
- "PAINTED STRUCTURE" INCLUDES ALL VERTICAL AND HORIZONTAL STRUCTURAL MEMBERS OCCURRING WITHIN THIS SPACE.
- ELECTRICAL AND MECHANICAL ROOMS ON FIRST FLOOR SHALL USE MINIMUM 1200 2" INDUSTRIAL BOARD.
- ELECTRICAL AND MECHANICAL ROOMS ON SECOND FLOOR SHALL USE MINIMUM TYPICAL SOUND BARRIER ASSEMBLIES STC 51.
- PROVIDE PEREC MAT - ALUMINUM HINCE RECESSED MAT. FRAME 551: ALUMINUM, RECESSED. FRAME 548 MAY BE SUBSTITUTED.
- EXPDED CONDUIT, JB, DUCTWORK, ETC. IN EXPOSED PAINTED STRUCTURE AREAS SHALL BE ALSO PAINTED.
- MAINTAIN REQUIRED ROOM STC RATING ABOVE CEILING BY EXTENDING STC CONSTRUCTION TO ROOF DECK, OR BY PROVIDING STC RATING AT CEILING.

WINDOW SCHEDULE NOTES:
 1. BLINDS TO BE 1" WIDE "VENETIAN" ALUM.
 2. PROVIDE 1HR. RATED FRAME AND 1HR. RATED CLEAR GLAZING @ RM200 / RM210.



FINISH LEGEND

ACT	ACOUSTICAL CEILING TILE
CONC	SEALED CONCRETE
CPTT-1	CARPET TILE TYPE 1
CPTT-2	CARPET TILE TYPE 2
EP	EPOXY PAINT
GWB	GYPSUM WALL BOARD
HRWT	IMPACT RESISTANT WALL TREATMENT
MPI	MASTER PAINTERS' INSTITUTE (MPI) SYSTEM EXT. 5-10-65
MS	METAL SOFFIT
P	PAINT
PS	PAINTED STRUCTURE
PT	PORCELAIN TILE
QVT	QUARTZ VINYL TILE
RB	RUBBER BASE
RT	RUBBER STAR TREADS
FP	FIREPROOFING

DEPARTMENT OF THE NAVY
 NAVAL FACILITIES ENGINEERING COMMAND SOUTHEAST
 NAVAL AIR STATION JACKSONVILLE
 MISSISSIPPI

JOHN C. STENNIS SPACE CENTER
SOF RIVERINE AND COMBATANT CRAFT OPERATIONS FACILITY - PRE-FINAL
 DOOR, WINDOW & FINISH SCHEDULES

DESIGNED BY: R. WITSE
 DRAWN BY: J. WHELAN
 CHECKED BY: T. ARBIB
 PROJECT MANAGER: P. DAMMON

DAMMON ENGINEERING, INC.
 4000 W. GEMMA BLVD.
 SUITE 100
 SODDLE LAKE, LA 70087
 (981) 649-8312

REVISED AS PER URS COMMENTS 9 OCTOBER 2009

SY#	DESCRIPTION	DATE	APPR
		11-06-09	

15026984
 37 OF 132
A17