


A


B

C


D



7  
NOT TO SCALE  
C1.1



8  
NOT TO SCALE  
C1.1




9  
NOT TO SCALE  
C1.5

**FENCING NOTES**

1. A BOTTOM RAIL. IT SHALL BE INSTALLED APPROX. 3" ABOVE GRADE (A MINIMUM OF 2" AND A MAXIMUM OF 4"). ATTACH FABRIC TO BOTTOM RAIL TO ELIMINATE POSSIBILITY OF PEELING UP FABRIC.
2. SECURE ALL FASTENING HARDWARE BY PEENING OR WELDING AS SPECIFIED.
3. PROVIDE POLYVINYL CHLORIDE (PVC) COATING OVER ZINC-COATED STEEL FENCE COMPONENTS IN ACCORDANCE WITH FS RR-F-191/1, TYPE IV FOR FENCING SYSTEMS. PVC COATING SHALL BE GREEN IN COLOR AND A MINIMUM OF 0.10 INCH IN THICKNESS.
4. GROUND FENCE ON EITHER SIDE OF EVERY GATE AND AT OTHER LOCATIONS AS SPECIFIED.
5. PROVIDE GALVANIZED PERSONNEL GATE NOMINAL 12' WIDE BY 8' HIGH WITH PADLOCK GATE LATCH AND PRIVACY SLATS.
6. PROVIDE LOOP DETECTOR TO AUTOMATICALLY CLOSE GATE ONCE VEHICLE PASSES.



**DAMMON ENGINEERING, INC.**  
 CHEF/OWNER CHIEF ARCHITECT  
 DAMMON & COMPANY, INC.  
 SUITE 1000  
 5100 L.L. BLANCHARD BLVD.  
 SUITE 1000, LA 70002  
 (985) 649-4312  
 ESTABLISHED 1982



RES: R. WILSE  
 PROJECTED BY: R. WILSE  
 PWD/INK: T. JARRETT  
 CHIEF ENGINEER: P. DAMMON

DEPARTMENT OF THE NAVY  
**NAVAL FACILITIES ENGINEERING COMMAND SOUTHEAST**  
 NAVAL AIR STATION JACKSONVILLE  
 MISSISSIPPI  
**SOF RIVERINE AND COMBATANT CRAFT OPERATIONS FACILITY - PRE-FINAL**  
 JOHN C. STENNIS SPACE CENTER  
**SITE CIVIL DETAILS**

CODE ID: NO. N4412 | SIZE: D  
 SCALE: AS SHOWN  
 DRAWING NO.: P-210  
 STA. PROJ. NO.: 510247  
 WORK ORDER NO.: N62467-05-0-0096  
 CONSTR. CONTR. NO.: 15026558  
 SHEET: 11 OF 132

SYM	DESCRIPTION	DATE	APPR

1

2

3

4

5

C15

A

B

C

D