


**\*\*NOTE\*\***  
 1. This building has been rotated 90 for clarity.

Insulation Schedule	Size	Thickness
Type THERMAX Sheathing	4'-0" x 10'-0"	2"



- (Field Repair Fastener)  
 (1 bags) #55308 #17-14x1" S.S. Roof Fastener

1 1'-1" Starter Panel (Cut Dim. = 1'-2")  
 □ Dimension Key

THERMAX - RIGID BOARD INSULATION PLAN - ARMORY (LEAN-TO)

Shape Name = Operations Building, Shape = Operations Building Lean-to, Shape = Operations Building Lean-to

- PRE-DRILLING 1/8 DIAMETER HOLES FOR ROOF STRUCTURAL FASTENERS MAY BE REQUIRED AT 11 GAGE PURLINS, NESTED PURLINS, PURLIN LAP LOCATIONS, AND/OR SECONDARY STRUCTURAL BEAMS
- ROOF SHEETS ARE AN INTEGRAL PART OF THE STRUCTURAL SYSTEM, REMOVAL OR ALTERATION WITHOUT PRIOR AUTHORIZATION IS PROHIBITED.
- PANELS SHOWN WITH A LENGTH LESS THAN 1-0, 5-0 FOR SSR, MAY HAVE TO BE FIELD CUT.
- SEE JOB DETAILS FOR SHEETING AND TRIM FASTENER SPECIFICATION.

THE VP ENGINEER'S SEAL APPLIES ONLY TO THE WORK PRODUCT OF VP AND DESIGN AND PERFORMANCE REQUIREMENTS SPECIFIED BY VP. THE VP ENGINEER'S SEAL DOES NOT APPLY TO THE PERFORMANCE OR DESIGN OF ANY OTHER PRODUCT OR COMPONENT FURNISHED BY VP EXCEPT TO ANY DESIGN OR PERFORMANCE REQUIREMENTS SPECIFIED BY VP.

THIS DRAWING, INCLUDING THE INFORMATION HEREON, REMAINS THE PROPERTY OF VP BUILDINGS. IT IS PROVIDED SOLELY FOR ERECTING THE BUILDING DESCRIBED IN THE APPLICABLE PURCHASE ORDER AND SHALL NOT BE MODIFIED, REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF VP BUILDINGS.

THE GENERAL CONTRACTOR AND/OR ERECTOR IS SOLELY RESPONSIBLE FOR ACCURATE, GOOD QUALITY WORKMANSHIP IN ERECTING THIS BUILDING IN CONFORMANCE WITH THIS DRAWING, DETAILS REFERENCED IN THIS DRAWING, ALL APPLICABLE VP ERECTION GUIDES, AND INDUSTRY STANDARDS PERTAINING TO PROPER ERECTION, INCLUDING THE CORRECT USE OF TEMPORARY BRACING.

VP Buildings			
3200 Players Club Circle Memphis TN 38125			
REV	DATE	BY	DESCRIPTION

<b>THERMAX - RIGID BOARD INSULATION PLAN - ARMORY (LEAN-TO)</b>		<b>VP BUILDINGS</b> VARCO PRUDEN A Nucor Steel Company
BUILDER <b>Broadmoor, LLC</b>	CUSTOMER <b>John F. Stennis Space Center</b>	JOBN0 <b>08-28914</b>
LOCATION <b>Stennis Space Center, Mississippi</b>	PROJECT <b>Riverine and Combatant Craft Operations Facility</b>	DATE <b>2/12/2009</b>
BUILDERS POF		DRAWN/CHECK <b>RVM</b>
		PAGE <b>1.1</b>