


FLOOR PLAN  
SCALE 3/16"=1'


GA FILE NO. WP 1072 GENERIC

ONE LAYER 5/8" TYPE X GYPSUM WALLBOARD OR GYPSUM VENER BASE APPLIED PARALLEL OR AT RIGHT ANGLES TO EACH SIDE OF 3-5/8" STEEL STUDS 24" O.C. WITH 1" TYPE S DRYWALL SCREWS 8" O.C. AT VERTICAL JOINTS AND 12" O.C. AT FLOOR AND CEILING RUNNERS AND INTERMEDIATE STUDS.  
JOINTS STAGGERED 24" ON EACH SIDE AND ON OPPOSITE SIDES. SOUND TESTED WITH 3-1/2" GLASS FIBER FRICTION FIT IN STUD SPACE. (NON-LOAD BEARING)

1 HOUR FIRE 45 TO 49 STC SOUND



THICKNESS: 4-7/8"  
APPROX. WEIGHT: 6 PSF  
FIRE TEST: SEE WP 1200  
FM WP-45, 6-19-68;  
OSU T-1770, 8-6-11;  
ULC 79T84, 79T80, 79T87,  
8-12-81, ULC DESIGN W415)  
SOUND TEST: NRCC 816-NV, 2-3-81



**DAMMON ENGINEERING, INC.**  
CHIEF ENGINEER  
EMMETT DAMMON, P.E.  
CHIEF ARCHITECT  
ROBERT WILTSE

1095 FLORIDA AVENUE  
SUITE LL, LA, 70458  
OFFICE: 985-649-5832  
FAX: 985-641-5950

WWW.DAMMONENGINEERING.COM  
EMAIL: DAMMONENG@BELL.SOUTH.NET

ARCHITECTURE  
ENGINEERING  
STUDIES  
PLANNING  
INVESTIGATION  
EXPERT WITNESS

DR. EDUARDO HERNANDEZ HAMMOND LOUISIANA

CHILDRENS INTERNATIONAL MEDICAL GROUP CIMG

FLOOR PLAN

REV:

SCALE: AS NOTED

JOB#: 2042

DATE: 10-29-09

SHEET 8

A-1

OF 19