FILE NAME: J:\... Hospitals – Medical – Dental\2443 – Hondo ASA Addition\Drawings\Current Drawings\A101 – Floor Plan.dwg PLOT DATE & TIME: Thursday, August 5, 2021 3:34:15 PM

BUILDING NOTES

1. BUILDING AREA :
   - A. EXISTING BUILDING = +/- 7400 S.F.
   - B. BUILDING ADDITION = 5221 S.F.
   - C. TOTAL BUILDING AREA = +/- 12,621 S.F.
2. OCCUPANCY CLASSIFICATION FOR DOCTOR OFFICE = BUSINESS
3. BUILDING CONSTRUCTION TYPE 2B, NON-COMBUSTIBLE MATERIALS
4. IBC 2015 TABLE 504.3; ALLOWABLE BUILDING HEIGHT IN FEET ABOVE GRADE FOR A NON-SPRINKLED BUSINESS OCCUPANCY WITH TYPE 2B CONSTRUCTION = 55 FT.
4. IBC 2015 TABLE 506.2; ALLOWABLE AREA FACTOR FOR A NON-SPRINKLED BUSINESS OCCUPANCY WITH TYPE 2B CONSTRUCTION = 22,000 S.F.
5. IBC 2015 TABLE 508.4; REQUIRED SEPARATION BETWEEN OCCUPANCIES. SINCE THE ENTIRE BUILDING IS THE SAME OCCUPANCY, I.E. BUSINESS; NO SEPARATION IS REQUIRED BETWEEN TENANTS.
6. IBC 2015 TABLE 705.8; MAXIMUM AREA OF EXTERIOR WALL OPENINGS BASED ON FIRE SEPARATION DISTANCE FOR UNPROTECTED OPENINGS, I.E. WINDOWS, NON-SPRINKLED BUILDING:
   - A. FIRE SEPARATION DISTANCE TO PROPERTY LINE = 5 - 10 FT = 10%
   - B. FIRE SEPARATION DISTANCE TO PROPERTY LINE = 10 - 15 FT = 15%
   - C. FIRE SEPARATION DISTANCE TO PROPERTY LINE = 15 - 20 FT = 25%
   - D. FIRE SEPARATION DISTANCE TO PROPERTY LINE = 25 - 30 FT = 70%

NEW BUILDING

EXISTING BUILDING

DR OFFICE #2

DR OFFICE #3

DR OFFICE #1

ADULT EXAM-5

ADULT EXAM-4

ADULT EXAM-3

ADULT EXAM-2

ADULT EXAM-6

ADULT EXAM-7

ADULT EXAM-1

ADA RR

BREAK RM

EXAM RM

DR OFFICE

EXISTING BUILD-OUT NO CONSTRUCTION

ADULT WAITING

RECEPTION

CASTING ROOM

X-RAY

PEDS EXAM-1

PEDS EXAM-2

PEDS EXAM-3

PEDS EXAM-4

PEDS EXAM-5

PEDS EXAM-6

PEDS EXAM-7

PEDS EXAM-8

EXISTING BUILD-OUT NO CONSTRUCTION

What, if any, equipment is needed in the Casting Room? I need a layout for this room

I will need the X-Ray Equipment layout and electrical equipments

WAITING

ADA RR

ADA RR

STORAGE RM

CONFERENCE RM

PRELIMINARY LAYOUT PLAN

1 FLOOR PLAN
SCALE: NTS

DAMMON ENGINEERING, INC.
LOUISIANA & MISSISSIPPI
www.dammonengineering.com
info@dammonengineering.com
PH: 985.649.5832

Chief Engineer: Brian Mistich, PE
1501 Gause Blvd
Slidell, LA 70458

REVISIONS

#	DESCRIPTION	DATE

SEAL:

NEW ADDITION
HONDO ASA

71211 LA HWY 21, COVINGTON, LA 70433

JOB No: 2443 DATE: 8/5/2021
DRAWN BY: dpd CHECKED BY: K-K

The plans, drawings and specifications contained herein are and shall remain the property of Dammon Engineering, and shall not be used in whole or in part for any work by any other party except by agreement with and with the written consent of Dammon Engineering. These plans, drawings and specifications are copyrighted and any unauthorized use without written consent of Dammon Engineering is prohibited. All rights reserved.

SHEET TITLE:
FLOOR PLAN

DRAWING NUMBER:

A101

SHEET No: 33 of #