

PILING WRAP

SCALE: 1-1/2" = 1'-0"

PILING WRAP

PILING NOTES

1) ALL PILINGS SHALL BE WRAPPED.
2) USE #5 REBAR BOTH HORIZONTAL AND VERTICAL.
2) CONCRETE MIX SHALL BE 5000 PSI WITH HELIX 5-25 MICRO FIBER REBAR.
3) WRAP 12X6 WIRE MESH AROUND PILING AND ATTACHED TO THE REBAR.
4) WRAP SONATUBE AROUND PILING TO REMAIN.
5) PILING WRAP CAN VERY PER PILING DETERIORATION.
6) PROVIDE POSITIVE DRAINAGE AWAY FROM THE BLDG.
7) TIE ALL DOWN SPOUTS INTO SUBSURFACE DRAINAGE AWAY FROM THE BLDG.

DESIGN CRITERIA

THE CONSTRUCTION FOR SAID RESIDENCE, WHERE BASIC WIND SPEED IS 140 MILES PER HOUR, WIND EXPOSURE ZONE C, IS DESIGNED IN ACCORDANCE WITH: AMERICAN FOREST AND PAPER ASSOCIATION (AF&PA) WOOD FRAME CONSTRUCTION MANUAL FOR ONE AND TWO FAMILY DWELLINGS (WFCM) 2001 EDITION AS WELL AS THE INTERNATIONAL RESIDENTIAL CODE (IRC) 2021 EDITION

DAMMON ENGINEERING, INC.
www.dammonengineering.com
info@dammonengineering.com
Fax: 985.641.5950
554 Old Spanish Trail
Slidell, LA 70458
PH: 985.649.5832

REVISIONS

#	DESCRIPTION	DATE

SEAL:

STATE OF LOUISIANA
BRIAN A. MISTICH
License No. 30187
5/19/2023
PROFESSIONAL ENGINEER

EXISTING PILING WRAP

ANCHORAGE CONDO

1244 HARBOR DRIVE
SLIDELL, LA 70458

JOB No: 2023 DATE: 05-17-2023
DRAWN BY: CKD CHECKED BY: BAM

SHEET TITLE:
PILING WRAP

DRAWING NUMBER:
S101

SHEET No: 1 of 1