


POOL PILING PLAN
SCALE 3/8" = 1'


- NOTES:**
1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS & DEPRESSIONS PRIOR TO COMMENCING WORK.
 2. PILE DATA FROM PSI ENGINEERING SOILS STUDY DATED 9 FEB., 2009
 3. NO FIELD SUPERVISION OR INSPECTION PROVIDED UNDER THIS SEAL UNLESS NOTED OTHERWISE
 4. PILE LAYOUT MAY BE MODIFIED DUE TO ACTUAL DRIVING CONDITIONS. ENGINEER TO BE NOTIFIED ON ANY MODIFICATIONS.
 5. CONTRACTOR IS RESPONSIBLE FOR THE COMPARISON AND VERIFICATION OF PILE LAYOUT DIMENSIONS WITH MOST RECENT EQUIPMENT DRAWINGS, ASSURING THAT PILES DO FALL WITHIN LIMITS OF THE DESIGN.
 6. ALL WATER (RAIN, RISING WATER, ETC.) SHALL BE DIRECTED AWAY FROM THE FOUNDATIONS DURING PREPARATION, PLACING AND CURING OF SAME POSITIVE DRAINAGE MUST BE MAINTAINED AT ALL TIMES.
 7. SEE "PSI" SOIL ANALYSIS AND FOLLOW RECOMMENDATIONS OF STUDY.
 8. PILES SHALL BE 12" IN DIAMETER, CAST IN PLACE CONCRETE, 70 FEET LONG, WITH BASE 70 FEET BELOW NATURAL GROUND ELEVATION.
 9. CONCRETE SHALL BE RATED 4000 LBS. 28 DAYS.

ELEVATIONS		
PILE NO	DEPTHS FROM TOP OF POOL COPING	TO TOP OF BEAM *
1	4 FT 8 IN STEPS	3 FT 8 IN
2	4 FT 8 IN 3 FT 0 IN	3 FT 8 IN
3	4 FT 8 IN 3 FT 0 IN	3 FT 8 IN
4	4 FT 8 IN STEPS	3 FT 8 IN
5	4 FT 8 IN 3 FT 0 IN	3 FT 8 IN
6	4 FT 8 IN 3 FT 0 IN	3 FT 8 IN
7	4 FT 11 IN 3 FT 3 IN	3 FT 11 IN
8	4 FT 11 IN 3 FT 3 IN	3 FT 11 IN
9	5 FT 2 IN 3 FT 6 IN	4 FT 2 IN
10	4 FT 11 IN 3 FT 6 IN	3 FT 11 IN
11	5 FT 2 IN 3 FT 6 IN	4 FT 2 IN
12	5 FT 5 IN 3 FT 9 IN	4 FT 5 IN
13	5 FT 5 IN 3 FT 9 IN	4 FT 5 IN
14	5 FT 0 IN 3 FT 4 IN	4 FT 0 IN
15	5 FT 2 IN 3 FT 6 IN	4 FT 2 IN
16	5 FT 4 IN 3 FT 8 IN	4 FT 4 IN
17	4 FT 11 IN 3 FT 3 IN	3 FT 11 IN
18	4 FT 11 IN 3 FT 3 IN	3 FT 11 IN
19	5 FT 3 IN 3 FT 7 IN	4 FT 3 IN
20	4 FT 8 IN 3 FT 0 IN	3 FT 8 IN
21	4 FT 8 IN 3 FT 0 IN	3 FT 8 IN
22	4 FT 11 IN 3 FT 3 IN	3 FT 11 IN
23	5 FT 2 IN 3 FT 6 IN	4 FT 2 IN
24	5 FT 3 IN STEPS	4 FT 3 IN
25	5 FT 3 IN STEPS	4 FT 3 IN

* NOTE THAT POOL SLAB SITS ON BEAM. DESIGN OF PILES IS BY OTHERS. SEE LATEST CIVIL DRAWING FOR ELEV. OF TOP OF COPING. TOP OF PILE CUT OFF ELEV. ARE GIVEN AS FT. & IN., BELOW POOL COPING



REV #1 - REVISED PILE CUT OFF DEPTH
3/11/11



DAMMON
ENGINEERING, INC.

CHIEF ENGINEER
EMMETT
DAMMON, P.E.
CHIEF ARCHITECT
ROBERT
WILTSE

554 OLD SPANISH TRAIL
SLIDELL, LA. 70458
OFFICE: 985-649-5832
FAX: 985-641-5950

WEBSITE:
WWW.DAMMONENGINEERING.COM
EMAIL:
DAMMONENG@BELLSOUTH.NET

ARCHITECTURE
ENGINEERING
STUDIES
PLANNING
INVESTIGATION
EXPERT WITNESS

"THE
WOODLANDS"
APARTMENTS
CHAUMETTE, LA

ROTOLO
CONSULTANTS,
INCORPORATED
894 ROBERT BLVD.
SLIDELL, LA

POOL
PILING
LAYOUT
PLAN

REV: # 1, 3-11-11
SCALE: AS NOTED
JOB#: 2103A
DATE: 04-15-11
SHEET

S-1

OF