

COURTASE 8/16/06

- ① Wait for TOPO to see if Slab
- ② Clg Heights 8'-0" except living which is open to Above

Windows - Rectangular - no lites

Doors - ~~Single Panel Door~~ Decorative Fullglass
Front Door

Interior - Pine - 12-16 Pane glass door
(French Door But w/ Pine) in Bedrooms

Bathrooms - Slab Style Door - Pine -


~~***~~ Sheetrock Interior walls

~~***~~ Do not add the 6" from the living space
take from the exterior - Exterior
Dims will be 6" shorter

6" Wall Between Master & Guest Room

Left msg. Friday

Blotrs Package



Patsy Courtade
Fax
504-831-9409

Survey

Site

Setting

No work affidavit

Temp. Bench mark

Order Cast. Elev. Certificate

a

Randall Brown & Assoc.

Attn: Bobbie

228 W. Causeway Approach

Mandeville, LA

985-624-5368

624-5309

→ No drainage plan.

→ Parish said they need a topo (topographical) Survey.

→ 25' Grid Pattern for the topo to be given to us by the Survey Company.

Need a letter to Don & Patsy Courtade saying since the Parish informed them they need a topographical survey that they need to get Randall Brown & Assoc (the company they hired) to do a topo and give it to us in a 25' Grid pattern. The Courtades need to give us a hard copy of the survey & have Randall Brown & Associates email it to Chuck

25' grid pattern
w/ ditches all the way to street.

No lediments
for Greenboard - they
will usually vent
through the nearest
interior wall

① Call log home MFR to see about
Green Board Requirements in Bathrooms
& toilets or lavs on exterior log walls.

② Pot on slab


③ Take wall cabinets out & put shelving
instead

Yes - they have
something that
could carry the
load through
can use $\frac{1}{2}$ "
tongue & groove

④ Ask log company about an interior log
wall next to fireplace. Is it a veneer.

⑤ Ask about electrical on log walls
code is different or not? See if glue is on
bottom of wall - does the elec. wire need to
be a certain height?

⑥ Shower Dims



⑦ Porch lights - Clog mt. fixtures

⑧ GAS STOVE - Generator Requires a
Commercial gas line (larger than normal)

Curtrade Mtg 10/2/06 9-11:30

pg 2062

- ⑨ A/C - 1 for up - 1 down
- Stand alone like you would put in a Hotel - put 1 or 2 upstairs
 - Don will consult an A/C Guy & get back w/ me.

- ⑩ Use the thicker Base Boards w/ groove cut out to run wiring in.

➔ Box Baseboards - (less expensive - lot less labor)

D-Shape sticks into beam - Do a Router notch Route out a channel in bottom leg.

11-27-06 - Spoke w/ Patsy.

- She will call me on Mon. 11-27 & let me know what to put on Clg. + 7-11, Beadboard, T&G, etc. ... Also will decide whether or not to go w/ pre-MFR truss system for Roof to run electrical.

- Wants A pre-engineered truss system for Clg/Floor & Put A/C floor vents in on 2nd floor.

- Sheetrock Clg & walls everywhere else not called out to be log.

11/22/06

Patsy Called Back - Patsy said definitely go with the open truss for the roof so they can run electrical in it.

Will Do floor vents