



⊕	SINGLE POLE SWITCH
⊕*	DOUBLE POLE SWITCH
⊕*	TRIPLE POLE SWITCH
⊕	"D" RECESSED CAN DOWN LIGHT - 32W FLUORESCENT
⊕	WALL SCONCE
⊕	EXHAUST FAN / EXISTING TOILET
⊕	SMOKE DETECTOR
⊕	110 VOLT RECEPTACLE
⊕	GROUND FAULT INTERRUPTED RECEPTACLE
⊕	220 VOLT RECEPTACLE
⊕	VOICE / DATA OUTLET
⊕	WATER LINE
⊕	GAS LINE
⊕	FAN / LIGHT COMBO
D	TRACK LIGHT WITH 49W MR16 FIXTURES
B	"B" PENDANT LIGHT FIXTURE 40W 1F, A19
⊕	"A" TWO LAMP T-8 EXISTING TO REUSE
⊕	NIGHT LIGHT WITH BATT. BACKUP
⊕	WALL MOUNTED FLUORESCENT FIXTURE
⊕	SURFACE MOUNTED UNDERCABINET LIGHT FIXTURE
⊕	BATHROOM EMER. TREC. LT. EXIT W/ BATT. BACKUP, TWO HEAD EGRESS AND EXTERIOR RECESSED CAN LIGHT FIXTURE
⊕	"C" HOOD LIGHTS BY OTHERS
⊕	"G" EXTERIOR CAN LIGHT FIXTURE
M	NOVITAS #01-400 WALL MTD. MOTION SWITCH
⊕	"E" 2 HEAD EMERGENCY LIGHT, 120 V

**ELECTRICAL LEGEND** 3

- GENERAL NOTES:**
- REFER TO BUILDER'S SPECIFICATIONS**
1. VERIFY QUANTITY AND LOCATION OF ALL CABLE OUTLETS, POWER OUTLETS, AND TELEPHONE JACKS WITH OWNER / BUILDER PRIOR TO INSTALLATION.
  2. ALL EXTERIOR OUTLETS AND FIXTURES TO BE WATER PROTECTED.
  3. VERIFY APPLIANCE AND ELECTRICAL EQUIPMENT REQUIREMENTS WITH BUILDER.
  4. VERIFY H.B. LOCATIONS WITH BUILDER.
  5. PROVIDE PLUMBING TO ALL FIXTURES AS REQUIRED.
  6. ELECTRICAL LAYOUT IS SCHEMATIC ONLY, AND SHOWN FOR REPRESENTATIONAL PURPOSES. FINAL LAYOUT TO BE VERIFIED BY BUILDER.
  8. LIGHTING SUPPLIER / INSTALLER TO COORDINATE WITH BUILDER FOR LOCATION AND QUANTITY OF OUTLETS.
- ① EXIT LIGHT WITH TWO HEAD EMERGENCY LIGHT AND ADA APPROVED EXTERIOR EGRESS LIGHT
- ② CONN EXIST BATHROOM FAN, LIGHTS, AND SWITCHES TO NEW PANEL "K".
- ③ WALL MOUNTED SWITCHES S1 THROUGH S4 FOR LIGHTING AND S5 FOR SWITCHED RECEPTACLE FOR WALL MTD. SIGNS.

**NOTE:**  
 CONTRACTOR ASSUMES ALL RESPONSIBILITY TO CONFIRM AND FIELD VERIFY THAT ALL STRUCTURAL, PLUMBING, ELECTRICAL, AND MECHANICAL DESIGNS IN THIS SET OF DWGS. MEET ALL REQUIREMENTS PER EXISTING SITE CONDITIONS, LOCAL BUILDING CODES, DEED RESTRICTIONS, AND OWNER SPECIFICATIONS PRIOR TO SUBMITTING FINAL PRICING.