


LIGHTING PLAN
SCALE: 1/4" = 1'-0"

EXISTING WALLS TO REMAIN

NOTE
FOR ELECTRICAL NOTES,
SCHEDULES AND DETAILS SEE
SHEET E-3.

LEGEND

- - 2'x4' RECESSED FLUORESCENT LAMP, STEEL HOUSING
- - 2'x4' RECESSED FLUORESCENT LAMP, STEEL HOUSING NIGHT LIGHT
- - COMBO EMERGENCY/EXT LIGHT W/ 90 MIN. BATTERY BACKUP
- - EMERGENCY LIGHT W/ 90 MIN. BATTERY BACKUP
- - EXT LIGHT W/ 90 MIN. BATTERY BACKUP
- - PULL CHAIN LIGHT, 60 W, SELECTED BY OWNER
- - RECESSED CAN LIGHT, 60 W, UNLESS OTHERWISE NOTED, SELECTED BY OWNER
- - PENDANT STYLE LIGHTING, 60 W, SELECTED BY OWNER
- - WALL MOUNTED LIGHT, SELECTED BY OWNER
- - EXISTING EXTERIOR WALL MOUNTED LIGHT TO REMAIN
- ⊕ - SWITCH
- ⊕ - 3-WAY SWITCH
- ⊕ - POWER PANEL
- ☀ - HIBACHI LIGHT, SELECTED BY OWNER
- ⊕ - EXISTING UP LIGHTING TO REMAIN
- ⊕ - J-BOX 220V
- ⊕ - WALL PACK, SELECTED BY OWNER
- ⊕ - EXHAUST FAN



DAMMON ENGINEERING, INC.
CHIEF ENGINEER
EVALETT DAMMON, P.E.
CHIEF ARCHITECT
ROBERT WILTSE

1095 FLORIDA AVENUE
SUDDLE, LA, 70458
OFFICE: 985-649-5832
FAX: 985-641-5950

WEBSITE: WWW.DAMMONENGINEERING.COM
EMAIL: DAMMONER@BELLFLOWTH.NET

ARCHITECTURE
ENGINEERING
STUDIES
PLANNING
INVESTIGATION
EXPERT WITNESS

RESTAURANT RENOVATION

OSAKA
287 S. MORRISON BLVD.
HAMMOND, LA

LIGHTING PLAN

REV:
SCALE: AS NOTED
JOB#: 1943
DATE: 7-25-08
SHEET 19
E-2
OF 22