


TOTAL INTERIOR LEASE SPACE = 4,298 S.F.

GA FILE NO. WP 1072 GENERIC

ONE LAYER 5/8" TYPE X GYPSUM WALLBOARD OR GYPSUM VENEER BASE APPLIED PARALLEL OR AT RIGHT ANGLES TO EACH SIDE OF 3-5/8" STEEL STUDS 24" O.C. WITH 1" TYPE S DRYWALL SCREWS 8" O.C. AT VERTICAL JOINTS AND 12" O.C. AT FLOOR AND CEILING RUNNERS AND INTERMEDIATE STUDS.
 JOINTS STAGGERED 24" ON EACH SIDE AND ON OPPOSITE SIDES.
 SOUND TESTED WITH 3-1/2" GLASS FIBER FRICTION FT. IN STUD SPACE. (NON-LOAD BEARING)



FLOOR PLAN
 SCALE: 3/16"=1'

NOTE: ALL DIMENSIONS ARE TO FACE OF GYP. BD. EXCEPT COLUMN GRID LINES, UNLESS OTHERWISE NOTED.

1 HR SEPARATION DETAIL
 NTS

REVISIONS		
#	DESCRIPTION	DATE

PHS PROPERTIES, LLC.
TENANT BUILDOUT
 381-391 GALISE BOULEVARD, WEST
 SUDELL, LOUISIANA

JOB No: 2162 DATE: 01-24-2013

DRAWN BY: JTL CHECKED BY:



DAMMON
ENGINEERING, INC.
Architects & Engineers

CHIEF ENGINEER: EMMETT DAMMON, P.E.
 CHIEF ARCHITECT: ROBERT WILISE
 554 OLD SPANISH TRAIL
 SUDELL, LA 70450

dammonengineering.com
 dammoneng@bellsouth.net
 PHONE: 935-641-5032
 FAX: 935-641-5950

REVISIONS
 SHEET No:
A-1

REVISED
 LATEST
 FLOOR PLAN
 SCHEME - C