

**LIFE-SAFETY INFORMATION**

<b>APPLICABLE CODES</b>	
NFPA 101 LIFE-SAFETY CODE 2012	
OCCUPANCY TYPE(S) AND CHAPTER(S)	
STORAGE (CHAPTER 42), BUSINESS (CHAPTER 36)	(REFERENCE CHAPTER 6)
MULTIPLE MIXED, OR SEPARATE OCCUPANCY	(REFERENCE CHAPTER 6)
N/A	
<b>OCCUPANT LOAD FACTOR</b>	(REFERENCE TABLE 7.11.2)
747 SF / 100 SF PER OCCUPANT =	8 OCCUPANTS
<b>CLASSIFICATION OF HAZARD OF CONTENTS</b>	
(REFERENCE OCCUPANCY CHAPTER AND 6.2.2 SPECIFY LOW, ORDINARY, OR HIGH)	
CONSTRUCTION TYPE(S)	(REFERENCE CHAPTERS, TABLE A.2.1.2 AND COMMENTARY TABLE B.1 IN HANDBOOK)
(VI000)	
<b>MINIMUM EXIT SEPARATION DISTANCE FOR REMOTELY LOCATED EXITS</b>	
(REFERENCE SECTION 7.5, SPECIFY 1/2 OR 1/3 DIAGONAL DISTANCE OF AREA SERVED)	
1/2 DIAGONAL =	N/A
<b>MAXIMUM DEAD-END CORRIDORS</b>	(REFERENCE OCCUPANCY CHAPTER AND TABLE A.7.6)
NR	
<b>MAXIMUM COMMON PATH OF TRAVEL DISTANCE</b>	(REFERENCE OCCUPANCY CHAPTER AND TABLE A.7.6)
NR	
<b>MAXIMUM TRAVEL DISTANCE TO EXITS</b>	(REFERENCE OCCUPANCY CHAPTER AND TABLE A.7.6)
NR	
<b>MAIN ENTRANCE MUST BE SIGNED TO ACCOMMODATE 1/2 OCCUPANT LOAD OF BUILDING</b>	
<b>EXTINGUISHMENT REQUIREMENTS</b>	SPRINKLERS (NOT REQUIRED)
<b>DEFLECTION, ALARM, AND COMMUNICATION SYSTEMS</b>	NO
<b>ALLOWABLE HEIGHT AND BUILDING AREA</b>	PER IBC EQUIVALENT CONSTRUCTION TYPE

**BUILDING CODE INFORMATION**

<b>APPLICABLE CODES</b>	
IBC 2012	(IBC 2012 CHAPTER 3)
<b>BUSINESS GROUP B</b>	
LOW-HAND STORAGE 5-2	
<b>OCCUPANT LOAD CALCULATIONS</b>	(TABLE 1004.1.2)
ACCESSORY STORAGE AREA = 40 SQ. FT.	100 SF PER OCCUPANT (GR055)
CONSTRUCTION TYPE(S)	(TABLE 503)
(B (SECTION 503))	
<b>ALLOWABLE HEIGHT AND BUILDING AREA LIMITED BY TYPE OF CONSTRUCTION</b>	2
MAXIMUM HEIGHT IN STORES (SECTION 503.4.204, TABLE 503)	
MAXIMUM AREA IN SQUARE FEET (SECTION 503.506.4.507, TABLE 503)	19,500


**WIND SPEED DESIGN REQUIREMENTS**

THIS BUILDING SHALL BE DESIGNED WITH IBC SEC. 1609 AS A FULLY ENCLOSED BLDG USING THE FOLLOWING INFORMATION:  
 WIND DESIGN DATA:  
 DETERMINATION OF WIND LOADS SHALL BE IN ACCORDANCE WITH IBC SEC. 1604.3 (A), (B), OR (C) DEPENDING ON THE RISK CATEGORY.  
 BASIC WIND SPEED (3 SECOND GUST) = 132 MPH (IBC FIG. 1604C)  
 RISK FACTOR: CATEGORY I BLDG = 1  
 TOPOGRAPHIC FACTOR = 1  
 EXPOSURE = C  
 SURFACE ROUGHNESS = 2  
 DESIGN WIND PRESSURE (ASCE 7-10 TABLE 26.6-1) = 34.7 PSF  
 INTERNAL PRESSURE COEFFICIENT (ASCE 7-10 TABLE 26-11-1) = ± 0.18  
 LIVE LOADS (IBC SEC. 1607) = 125 PSF  
 STORAGE, LIGHT (IBC TABLE 1607.1) = 20 PSF UNIFORM, 300 LB CONCENTRATED  
 ROOF LIVE LOADS (IBC TABLE 1607.1) = 20 PSF UNIFORM, 300 LB CONCENTRATED  
 SNOW LOADS (IBC TABLE 1609.1) = 5 PSF  
 GROUND SNOW LOAD (IBC FIG. 1608.2) = 9.0 NPSF


**FLOOD ZONE INFORMATION**

BASED ON THE SURVEY OF THIS PROPERTY BY J.V. BIRKES AND ASSOCIATES, INC. THIS PROPERTY IS IN A SPECIAL FLOOD HAZARD AREA. FIRM COMMUNITY MAP NO. 220204 0010 C, REVISED 4/21/94  
 FLOOD ZONE: AE  
 ELEVATIONS REFER TO NGVD 1984 DATUM

**GRAPHIC SYMBOLS**



**CITY OF SLIDELL**




**2ND STREET RESTROOMS / VETERANS PARK IMPROVEMENTS**

**MAYOR FREDDY DRENNAN**


**CITY COUNCIL**  
 LONDON CUSIMANO COUNCILOR-AT-LARGE  
 KIM BARONET HARBISON DISTRICT "A"  
 LIONEL J. HICKS DISTRICT "B"  
 SAMUEL M. ABNEY DISTRICT "C"  
 DWAYNE "BUDDY" LLOYD DISTRICT "D"  
 JOSEPH H. FRAUGHT DISTRICT "E"  
 SALVATORE A. "SAM" CARUSO DISTRICT "F"  
 JAY E. NEMCOMB DISTRICT "G"  
 BILL BORCHERT JR. DISTRICT "G"

**VICINITY MAP**



**LIFE-SAFETY LEGEND**

SYMBOL	DESCRIPTION
➤	EXITS
⌚	DOOR FIRE RATING (MINUTES)
⊞	DOOR WIDTH/EGRESS CAPACITY
⊙	EXIT LIGHT
⚡	FIRE EXTINGUISHER AND CABINET
⚡	FIRE EXTINGUISHER W/ WALL MTD BRACKET
⚡	COMMON PATH OF TRAVEL
●	TRAVEL DISTANCE
●	DECISION POINT
---	SMOKE PARTITION
---	ONE-HOUR FIRE RATED PARTITION
---	TWO-HOUR FIRE RATED PARTITION
---	TWO-HOUR FIRE/SMOKE PARTITION
---	FOUR-HOUR RATED PARTITION



**1. LIFE-SAFETY PLAN**  
 SCALE: 1/4" = 1'-0"

**SHEET INDEX**

SHEET #	SHEET TITLE
61	GENERAL INFORMATION SHEET
62	ADA INFORMATION
63	FOUNDATION PLAN
64	SITE PLAN, UTILITY PLAN, PAVING & DRAINAGE PLAN, LANDSCAPING
65	ARCHITECTURAL FLOOR PLAN, SECTIONS, EXTERIOR ELEVATIONS
66	ROOF PLAN & MILLWORK, DOOR & FIN SCHEDULE, DOOR DETAILS
67	ELECTRICAL PLANS
68	PLUMBING PLANS AND RISERS

**PROJECT STATISTICS**


SQUARE FOOTAGE	147 SF
NET BUILDING	147 SF
TOTAL ENCLOSED SPACE	147 SF
<b>PROJECT LOCATION:</b>	
VETERANS PARK	
2602 2ND STREET	
SLIDELL, LA 70458	
<b>OWNER:</b>	
CITY OF SLIDELL	
260 BORGHESEN ST. SUITE 203	
SLIDELL, LA 70458	
(985) 646-4320	

**GENERAL NOTES**

- ALL MATERIALS AND WORK INCIDENTAL TO THE CONSTRUCTION OF THIS PROJECT SHALL CONFORM TO ALL GOVERNING CODES AND REGULATIONS OF AGENCIES IN AUTHORITY.
- CONTRACTOR SHALL PROVIDE ALL PUBLIC PROTECTIONS NECESSARY AS REQUIRED BY LAW.
- THE DRAWINGS, SPECIFICATIONS AND ANY SUBSEQUENTLY ISSUED ADDENDA, AMENDMENTS OR SUCH CHANGE ORDERS APPROVED BY THE OWNER AND THE CONTRACTOR ARE PART OF THESE CONTRACT DOCUMENTS.
- DO NOT SCALE DRAWINGS. CONSULT WITH THE ARCHITECT REGARDING ANY ITEMS IN THE CONTRACT DOCUMENTS THAT REQUIRE CLARIFICATION.
- TRASH SHALL BE REMOVED FROM THE SITE NOT LESS THAN TWICE MONTHLY.
- THE GENERAL CONTRACTOR SHALL VERIFY EXISTING CONDITIONS PRIOR TO COMMENCING WORK AND REPORT ANY AND ALL DISCREPANCIES TO THE ARCHITECT.
- CONTRACTOR VEHICLES AND EQUIPMENT NECESSARY FOR CONSTRUCTION MAY BE PARKED ON THE SITE. OTHER VEHICLES PARKED ON THE SITE REQUIRE THE OWNER'S PERMISSION.
- MAKING A CERTAIN BRAND, MAKE OR MANUFACTURER IS TO DESIGNATE THE GENERAL STYLE. THE CHARACTER AND QUALITY STANDARD OF THE TO BE USED. SUBSTITUTION REQUESTS MUST BE SUBMITTED PRIOR TO BEGING.
- ALL MATERIALS/EQUIPMENT SHALL BE INSTALLED PER MANUFACTURER'S RECOMMENDATIONS. WORK NOT CONSISTENT WITH MANUFACTURER'S RECOMMENDATIONS WILL BE REJECTED BY OWNER/ARCHITECT.

**DAMMON ENGINEERING, INC.**  
*Architects & Engineers*  
 Chief Architect: Kevin J. Kinchen, NCARB  
 Chief Engineer: Brian Mistich, PE  
 554 Old Spanish Trail  
 Slidell, LA 70458  
 www.dammoneengineering.com  
 info@dammoneengineering.com  
 PH: 985.649.5832  
 F: 985.641.5950

#	DESCRIPTION	DATE



**2ND STREET RESTROOMS / VETERANS PARK IMPROVEMENTS**  
 2602 2ND STREET  
 SLIDELL, LOUISIANA, 70458  
 JOB NO.: 2170 DATE: 4/2/2014  
 DRAWN BY: K/K CHECKED BY: CKD  
 SHEET TITLE: GENERAL INFORMATION SHEET  
 SHEET NO.: 61  
 1 of 8