



**ELEVATION E2 DG
TYPICAL CAPTURED MULLION –LONG SPAN–
WITH STEEL**

STEEL BUCK FRAME

GLAZING SCHEDULE

GLASS MARK SYMBOL	GLASS TYPE	MANUFACTURER	MAXIMUM D.L.O. SIZE	MAXIMUM SQUARE FEET
G14	1 1/4" INSULATED LAMINATED GLASS CONSISTING OF 1/4" H.S. --- 1/2" AIR SPACE --- 1/4" H.S. --- 0.090 SENTRY GLASS PLUS INTERLAYER --- 1/4" H.S.	DUPONT	57 1/2" X 46 1/2"	18.6
G14	1 1/4" INSULATED LAMINATED GLASS CONSISTING OF 1/4" H.S. --- 1/2" AIR SPACE --- 1/4" H.S. --- 0.090 SENTRY GLASS PLUS INTERLAYER --- 1/4" H.S.	DUPONT	57 1/2" X 96"	38.3

X = IMPACT LOCATIONS

DESIGN PRESSURE: +70/-70 PSF

WATER @ 20 P.S.F.

AIR @ 6.24 P.S.F.

TESTING

AIR, WATER, STATIC, IMPACT & CYCLE

REV	BY	DATE	DESCRIPTION

VISTAWALL
ARCHITECTURAL PRODUCTS
8655 ELM. FAIR BLVD. TAMPA, FL. 33610

THE VISTAWALL GROUP
BUTLER MANUFACTURING COMPANY

H.T.L. TEST DRAWINGS
HR-251DG CURTAIN WALL
PROTOCOLS: PA 201-202-203

FRAMING ELEVATION

PROJECT: HTL TEST
DRAWN: DRE DATE: 4/19/06
SCALE: 1/2" = 1'-0"
DRAWING NO.: HR-251DG_01
SHEET: 2 OF 6