


FLOOR PLAN  
SCALE 3/16" = 1'


NOT FOR CONSTRUCTION

GA FILE NO. WP 1072 GENERIC

ONE LAYER 5/8" TYPE X GYPSUM WALLBOARD OR GYPSUM VENER BASE APPLIED PARALLEL OR AT RIGHT ANGLES TO EACH SIDE OF 3-5/8" STEEL STUDS 24" O.C. WITH 1" TYPE S DRYWALL SCREWS 8" O.C. AT VERTICAL JOINTS AND 12" O.C. AT FLOOR AND CEILING RUNNERS AND INTERMEDIATE STUDS.  
JOINTS STAGGERED 24" ON EACH SIDE AND ON OPPOSITE SIDES. SOUND TESTED WITH 3-1/2" GLASS FIBER FRICTION FIT IN STUD SPACE. (NON-LOAD BEARING)



1 HOUR FIRE 45 TO 49 STC SOUND  
THICKNESS: 4-7/8"  
APPROX. WGT: 6 PSF  
FIRE TEST: SEE WP 1200 (FM WP-45, 6-19-68); OSU 1-1770, 8-61; ULC 791484, 791500, 791497, 8-12-81, ULC DESIGN WA 15) SOUND TEST: NRCC 816-NV, 2-3-81



**DAMMON ENGINEERING, INC.**  
CHIEF ENGINEER  
EMMETT DAMMON, P.E.

CHIEF ARCHITECT  
ROBERT WILTSE

1095 FLORIDA AVENUE  
SLIDELL, LA. 70456  
OFFICE: 985-649-5932  
FAX: 985-641-5950

WEBSITE: WWW.DAMMONENGINEERING.COM  
EMAIL: DAMMONENG@BLSOUTH.NET

ARCHITECTURE  
ENGINEERING  
STUDIES  
PLANNING  
INVESTIGATION  
EXPERT WITNESS

DR. EDUARDO HERNANDEZ  
HAMMOND LOUISIANA

CHILDRENS INTERNATIONAL MEDICAL GROUP  
CIMG

FLOOR PLAN

REV:

SCALE: AS NOTED

JOB#: 2042

DATE: 10-29-09

SHEET

A-1

OF