



PARKING REQUIREMENTS:
 1 SPACE PER 200 SQ. FT.
 OF AUTOMOTIVE FLOOR
 SPACE.

TOTAL BUILDING = 5000 SQ. FT.
 MINUS 325 SQ. FT. OF OFFICE
 (25'x13') = 4675 SQ. FT. DIVIDED
 BY 200 = 23.375 OR 23 PARKING
 SPACES REQUIRED WITH 1 HANDICAP*
 PROVIDED INCLUDING HANDICAP
 NEED 1-4 MORE.

1" = 20'-0"
 1 SITE PLAN

NEW CONSTRUCTION FOR
EASY LUBE SITE

OLD SPANISH TRAIL
 SLIDELL, LOUISIANA

JOB No: [] DATE: 9-24-14
 DRAWN BY: JTL CHECKED BY: CKD

REVISIONS		DATE
#	DESCRIPTION	

DAMMON
 ENGINEERING, INC.
Architects & Engineers

Chief Architect: Kevin J. Kinchen, NCARB
 Chief Engineer: Brian Mistich, PE
 554 Old Spanish Trail
 Slidell, LA 70458

www.dammonengineering.com
 info@dammonengineering.com
 PH: 985.649.5832
 F: 985.641.5950