

WAX MUSEUM CONDOS
917 CONTI STREET
NEW ORLEANS, LA.

THESE PLANS AND SPECIFICATIONS HAVE BEEN PREPARED BY ME OR UNDER MY CLOSE PERSONAL SUPERVISION AND TO THE BEST OF MY KNOWLEDGE AND BELIEF THEY COMPLY WITH ALL CITY, STATE AND FEDERAL REQUIREMENTS, AND I AM NOT PROVIDING CONTRACT ADMINISTRATION.

CERTIFIED CORRECT


THIS DRAWING IS CONFIDENTIAL AND NOT BE LOANED, REPRODUCED, COPIED, EITHER WHOLLY OR IN PART, OR MADE PUBLIC IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF HBSA II ARCHITECTS. A PROFESSIONAL L.L.C. ALL RIGHTS OF DESIGN OR INVENTION ARE RESERVED AND WILL REMAIN THE SOLE PROPERTY OF HBSA II ARCHITECTS A PROFESSIONAL L.L.C.

REVISION HISTORY					
1	2	3	4	5	
06/20/16	07/14/16	08/26/16	09/16/16	09/27/16	
SCHEMATIC DESIGN	DESIGN DEVELOPMENT	FOUNDATION PERMIT SET	PROGRESS SET	PERMIT SET	


SECOND FLOOR FRAMING PLAN

PROJECT#: 1435
PHASE: DD
DRAFTER: HSB
CHECKER: HSB
SCALE: AS NOTED
ISSUED: 08-26-16


SHEET#:
S102




2 SECTION
S102 1" = 1'-0"




3 SECTION
S102 1" = 1'-0"




4 SECTION
S102 1" = 1'-0"



7 SECTION
S102 1" = 1'-0"




6 SECTION
S102 1" = 1'-0"



- PLAN NOTES: UNLESS NOTED OTHERWISE:
1. TOP OF SLAB EL. VARIES (EL. 112'-6" MAX), TOP OF STEEL EL. 112'-0 1/2".
 2. FLOOR SYSTEM TO CONSIST OF L.W. CONCRETE ON 1 1/2" COMPOSITE METAL DECKING OVER STRUCTURAL STEEL FRAMING AS INDICATED ON PLANS. TOTAL FLOOR THICKNESS VARIES (5 1/2" MAX, 4" MIN.). REINFORCE SLAB WITH 1 LAYER W.W.F 6x6-W2.1xW2.1 LOCATED 3/4" BELOW TOP OF SLAB.
 3. W14x30(10) - INDICATES W14x30 WITH (10)3/4"x4" A.E.W.S.C. EQUALLY SPACED ALONG CENTER OF BEAM (FIELD INSTALLED)
 4. - INDICATES FLOOR PENETRATIONS FOR HVAC, PLUMBING, ELECTRICAL, ETC. COORDINATE LOCATIONS WITH RESPECTIVE CONSULTANT. PENETRATIONS TO BE CAST WITH SLAB. DO NOT CORE-DRILL OR SAW-CUT PENETRATIONS AFTER THE FLOOR IS CAST.
 5. - INDICATES MOMENT CONNECTION, SEE TYPICAL DETAILS.
 6. - INDICATES STEEL BRACING. SEE ELEVATIONS ON S401 FOR BRACING CONFIGURATIONS, SIZES, AND DETAILS.
 7. - INDICATES AREA TO BE DEPRESSED. COORDINATE EXTENTS AND DEPTH OF ALL DEPRESSIONS WITH ARCHITECTURAL. ALL DEPRESSIONS SHALL BE VERIFIED WITH THE ARCHITECT BEFORE FORMING FOR THE CONCRETE POUR BEGINS.
 8. ** - INDICATES APPROXIMATE LOCATION OF HANGER DETAIL FOR C10 BELOW. SEE 7/S102

1 SECOND FLOOR FRAMING PLAN
S102 1/8" = 1'-0"



5 SECTION
S102 1" = 1'-0"