




- PLAN NOTES: UNLESS NOTED OTHERWISE:
1. TOP OF SLAB EL. VARIES (EL. 125'-0" MAX). TOP OF STEEL EL. 124'-6 1/2".
 2. FLOOR SYSTEM TO CONSIST OF L.W. CONCRETE ON 1 1/2" COMPOSITE METAL DECKING OVER STRUCTURAL STEEL FRAMING AS INDICATED ON PLANS. TOTAL FLOOR THICKNESS VARIES (5 1/2" MAX. 4" MIN.). REINFORCE SLAB WITH 1 LAYER W.W.F. 6x6-W2.1xW2.1. LOCATED 3/4" BELOW TOP OF SLAB.
 3. W14x30(10) - INDICATES W14x30 WITH (10) 3/4"x4" A.E.W.S.C. EQUALLY SPACED ALONG CENTER OF BEAM (FIELD INSTALLED).
 4. - INDICATES FLOOR PENETRATIONS FOR HVAC, PLUMBING, ELECTRICAL, ETC. COORDINATE LOCATIONS WITH RESPECTIVE CONSULTANT. PENETRATIONS TO BE CAST WITH SLAB. DO NOT CORE-DRILL OR SAW-CUT PENETRATIONS AFTER THE FLOOR IS CAST.
 5. - INDICATES MOMENT CONNECTION, SEE TYPICAL DETAILS.
 6. - INDICATES STEEL BRACING. SEE ELEVATIONS ON **S401** FOR BRACING CONFIGURATIONS, SIZES, AND DETAILS.
 7. - INDICATES AREA TO BE DEPRESSED. COORDINATE EXTENTS AND DEPTH OF ALL DEPRESSIONS WITH ARCHITECTURAL. ALL DEPRESSIONS SHALL BE VERIFIED WITH THE ARCHITECT BEFORE FORMING FOR THE CONCRETE POUR BEGINS.


1 THIRD FLOOR FRAMING PLAN
S103 1/8" = 1'-0"




6 SECTION
S103 1" = 1'-0"




2 SECTION
S103 1" = 1'-0"



3 SECTION
S103 1" = 1'-0"



4 SECTION
S103 1" = 1'-0"



7 SECTION
S103 1" = 1'-0"



REVISION HISTORY				
1	06/20/16	SCHEMATIC DESIGN		
2	07/14/16	DESIGN DEVELOPMENT		
3	08/26/16	FOUNDATION PERMIT SET		
4	09/16/16	PROGRESS SET		
5	09/27/16	PERMIT SET		

THIRD FLOOR FRAMING PLAN

PROJECT#: 1435
PHASE: DD
DRAFTER: HSB
CHECKER: HSB
SCALE: AS NOTED
ISSUED: 08-26-16

SHEET#:

S103