


1A PLAN DETAIL

SCALE: 3/4" = 1'-0"


WS001L



FIRE PROTECTION - TYPICAL ROOF/
FLOOR
ALL CLASS A, B OR C ROOFING SYSTEM
UL 753 (1 HOUR)
INSULATION, 1" SINGLE LAYER 5/8" FIBERGLASS
CHANNELS & 1/2" OC ATTACHED TO THE
BOTTOM CHORD OF ROOF TRUSSES AND
SOLID TRANSDUCTION RATING
NOT APPLICABLE

FIRE PROTECTION - TYPICAL FLOOR/
CEILING
ALL CLASS A, B OR C ROOFING SYSTEM
UL 753 (1 HOUR)
INSULATION, 1" SINGLE LAYER 5/8" FIBERGLASS
CHANNELS & 1/2" OC ATTACHED TO THE
BOTTOM CHORD OF ROOF TRUSSES AND
SOLID TRANSDUCTION RATING
NOT APPLICABLE

FIRE PROTECTION - TYPICAL EXTERIOR
MALL WITH BRICK VENEER
BRICK VENEER ON 7/16" OSB SHEATHING
ON 2x4 WOOD STUDS AT 16" O.C. WITH
TYPE 'X' GYP. BD. AT INTERIOR FACE
SOLID TRANSDUCTION RATING -
NOT APPLICABLE



ROOF CONSTRUCTION
UL DESIGN NO. P981

STEPHEN
HILL
ARCHITECT

454 BROOKRIDGE CIRCLE
CORDOVA, TN 38018
901-578-3400 FAX 901-578-3450
steve@gharchitect.com

CROSSWINDS
HAMMOND, LA

DATE 10-26-09
PROJECT 08112.13
SHEET A705

PROGRESS SET
NOT FOR
CONSTRUCTION

REVISIONS

LEASING OFFICE
WALL SECTIONS
AND DETAILS

DRAWN CS
CHECKED GSH