



BUILDING FIRST FLOOR LIGHTING & POWER
SCALE: 1/8" = 1'-0"

LIGHT FIXTURE SCHEDULE

MARK	TYPE	MFR.	CAT. NO.	LAMP	MOUNTING	VOLTS
A	PROGRESS	P5745-30		2	SURFACE	120
B	PROGRESS	P4961-30		2	SURFACE	120
CB	PROGRESS	P7196-30ES		4	SURFACE	120
CD	CRFTMADE	TX107-W/WA		X	SURFACE	120
E	CD1	FT04/403		1/4	ATTACHMENT	120
F	X	LITHONIA 10830120ES		1	SURFACE	120
G	CE	LITHONIA LOMSWR120/27TELN		X	SURFACE	120
H	CF	LITHONIA ELM2		2	WALL	120
I	CO	PROGRESS PG7AT0/808231		1	RECESSED	120
J	CR	PROGRESS P5097-10		1	PENDANTS	120
K	CO	PROGRESS P3299-10		6	WALL & VANITY	120
L	D	PROGRESS P7816-30ES		2	SURFACE	120
M	G	DESIGNERS 4732-PB		1	SURFACE	120
N	J	DESIGNER 4731-PB		1	SURFACE	120
O	K	FAGLE 604		1	SURFACE	120
P	R3	PROGRESS PG7-AT/8066-31		1	RECESSED	120
Q	S	DESIGNER 1151PB		2	SURFACE	120
R	S	SMOKE FIREX 4518		X	CEILING	120
S	S	SMOKE FIREX 4518		X	CEILING	120
T	X	PER OWNER		X	SURFACE	120
U	X	LITHONIA 11884120ES		2	WALL & VANITY	120
V	CO	PROGRESS P3335-10		5	WALL & VANITY	120
W	CO	PROGRESS P3300-10		8	WALL & VANITY	120

- LEGEND**
- FLUORESCENT FIXTURE
 - BROADWAY LIGHT
 - CEILING FAN
 - CEILING MTG. FIXTURE
 - LETTER INDICATES TYPE
 - WALL SCONCE FIXTURE
 - RECESSED FIXTURE
 - LETTER INDICATES TYPE
 - LIGHT W/ PULL CHAIN
 - VENT
 - EXIT LIGHT W/ 90 MIN. BATTERY BACKUP
 - EMERGENCY LIGHT W/ 90 MIN. BATTERY BACKUP
 - SWITCH
 - 3 WAY SWITCH
 - DUPLEX RECEPTACLE
 - GFI RECEPTACLE
 - WEATHERPROOF GFI RECEPTACLE
 - QUAD RECEPTACLE
 - DISCONNECT SWITCH
 - POWER PANEL
 - HOT WATER HEATER WITH DISCONNECT
 - 220 OUTLET
 - SMOKE DETECTOR
 - CABLE TV OUTLET
 - PHONE
 - QUAD RECEPTACLE
 - FIRE ALARM W/ AUDIBLE & VISUAL OUTPUTS
 - FIRE ALARM
 - FIRE ALARM HAND PULL STATION
 - JUNCTION BOX
 - THERMOSTAT
 - 1 HOUR FIREWALL

REVISED: 05/29/07ab

REFLECTIONS OF ISLAND PARK

DAMMON ENGINEERING, INC.

1095 FLORIDA AVENUE 985-649-5832 SLIDELL, LA. 70458
DAMMONENGINEERING.COM

SCALE: AS NOTED

FILE: _____

JOB NO.: 1817

DATE: 01-12-07

SHEET

E-1

OF _____