

DAMMON ENGINEERING, INC.

CHIEF ENGINEER
EMMETT DAMMON, P.E.

CHIEF ARCHITECT
ROBERT WILTSE

1095 FLORIDA AVENUE
SLIDELL, LA. 70458
OFFICE: 985-649-5832
FAX: 985-641-5950

WEBSITE:
WWW.DAMMONENGINEERING.COM

EMAIL:
DAMMONENG@BELLSOUTH.NET

ARCHITECTURE
ENGINEERING
STUDIES
PLANNING
INVESTIGATION
EXPERT WITNESS

ANDERSON
MEMORY CARE
4104 DAUPHINE ST.
SLIDELL, LA
70458

MAIN WIND
FORCE RESISTING
SYSTEM
PLAN

REV:

SCALE: AS NOTED


JOB#:

-DATE: 07-15-10


SHEET

S-4


OF




WINDSTORM STRUCTURAL SHEATHING DETAIL
SCALE: N.T.S.



DORMER FRAMING DETAIL
SCALE: N.T.S.



CUPOLA FRAMING SECTION
SCALE: N.T.S.



FRAMING CONNECTION PLAN
SCALE: 1/16" = 1'-0"

FRAMING PLAN LEGEND
● SIMPSON STHD10
— LOAD-BEARING WALL OR BEAM - SEE ARCH PLAN

- LOAD BEARING WALLS:**
- ALL LOAD BEARING WALLS SHALL BE 1 HR. FIRE RATED. TO INCLUDE:
1. ALL INTERIOR AND EXTERIOR WALLS SUPPORTING ROOF LOADS DIRECTLY OR THROUGH THE USE OF BRACING.
 2. ALL WALLS SUPPORTING A CEILING JOIST SPAN OF 12'-6" OR GREATER ON BOTH SIDES.
 3. ALL WALLS SUPPORTING ACCESSIBLE ATTIC FLOOR FRAMING MEMBERS.
 4. GENERALLY ANY AND ALL WALLS SUPPORTING A LOAD OF 100 LBS. PER LINEAR FOOT OR GREATER.