


TABERNAACLE BAPTIST CHURCH FELLOWSHIP HALL




EXISTING FRONT-EAST ELEVATION

NEW FRONT-EAST ELEVATION

2445 FOURTH STREET
SLIDELL, LA

SQUARE FEET TOTAL: 3,687.5 SQ. FT.



VICINITY MAP
N.T.S.

BUILDING USE DESCRIPTION

THIS BUILDING SHALL BE USED FOR WEDNESDAY AND SUNDAY SERVICES.

INDEX OF DRAWINGS

DWG#	DRAWING NAME
-	COVER SHEET
G-1	LIFE-SAFETY PLAN
C-1	COPY OF SURVEY
C-2	SITE PLAN
C-3	DRAINAGE PLAN
S-1	FOUNDATION PLAN
A-1	FLOOR PLAN
A-2	EXTERIOR ELEVATIONS
A-3	REFLECTED CEILING PLAN
M-1	MECHANICAL PLAN
E-1	ELECTRICAL POWER PLAN
E-2	ELECTRICAL LIGHTING PLAN
P-1	PLUMBING PLAN & RISER

DETAILED BUILDING REQUIREMENTS

(MAIN WIND FORCE RESISTING COMPONENTS)

- THE DESIGN, FABRICATION AND ERECTION OF STRUCTURAL STEEL FOR BUILDINGS AND STRUCTURES SHALL BE IN ACCORDANCE WITH EITHER THE AISC LOAD AND RESISTANCE FACTOR DESIGN SPECIFICATION FOR STRUCTURAL STEEL BUILDINGS (AISC-LRFD), AISC SPECIFICATION FOR STRUCTURAL STEEL BUILDINGS-ALLOWABLE STRESS DESIGN (AISC-ASD) OR AISC SPECIFICATION FOR THE DESIGN OF STEEL HOLLOW STRUCTURAL SECTIONS (AISC-HSS). WIND LOAD DESIGN OF 130 MPH.
- ROOF COVERING HAS BEEN DESIGNED IN ACCORDANCE WITH THE REQUIREMENTS SET FORTH IN IBC SECTION 1507
- 7/16" THICK STRUCTURAL WOOD PANELS AND ATTACHMENT HARDWARE SHALL BE PROVIDED FOR BUILDING OCCUPANCY THE PANELS SHALL BE NUMBERED FOR EACH GLAZED OPENING AND SHALL BE STORED ON SITE PERMANENTLY (IBC 1609.1.4, EXCEPTION)


CONTRACTOR NOTE

EACH CONTRACTOR RESPONSIBLE FOR THE CONSTRUCTION OF A MAIN WIND-FORCE-RESISTING COMPONENT OF THIS BUILDING SHALL SUBMIT A WRITTEN CONTRACTOR'S STATEMENT OF RESPONSIBILITY TO THE BUILDING OFFICIAL AND OWNER PRIOR TO COMMENCEMENT OF THE WORK ON THAT COMPONENT. (IBC 1706.3)

TABERNAACLE BAPTIST CHURCH NEW FELLOWSHIP HALL

2445 FOURTH STREET
SLIDELL, LA 70455

JOB No: 2171 DATE: 4-30-2013
DRAWN BY: JCT CHECKED BY: CD



DAMMON
ENGINEERING, INC.
Architects & Engineers

CHIEF ENGINEER: EMMETT DAMMON, P.E.
CHIEF ARCHITECT: KEVIN KINCHEN
554 OLD SPANISH TRAIL
SLIDELL, LA 70456

www.dammonengineering.com
dammoneng@bellsouth.net
PHONE: 985-649-5832
FAX: 985-641-5950