

DAMMON ENGINEERING, INC.
 CHIEF ENGINEER
 EMMETT DAMMON, P.E.

CHIEF ARCHITECT
 ROBERT WALTSE

1095 FLORIDA AVENUE
 SUDBELL, LA. 70458
 OFFICE: 985-649-5832
 FAX: 985-641-5950

WWW.DAMMONENGINEERING.COM
 EMAIL: DAMMONENGS@BLSOUTH.NET

ARCHITECTURE
 ENGINEERING
 STUDIES
 PLANNING
 INVESTIGATION
 EXPERT WITNESS

NEW
 CHURCH

TABERNACLE
 BAPTIST CHURCH
 2445 FOURTH ST.
 SUDBELL, LA

SITE
 DRAINAGE
 PLAN




REV: 4-21-10
 SCALE: AS NOTED
 JOB#: 2050
 DATE: 2-8-10

SHEET 6
C-5

OF 25

LEGEND:


- PROPERTY LINE
- UTILITY / EASEMENT LINE
- BUILDING SETBACK MINIMUM
- LANDSCAPING SETBACK MINIMUM
- NEW BUILDING
- NEW DRAIN LINE
- NEW DROP INLET W/TEMP. SILT FENCING
- SLOPE LINES
- T.O. GRATE ELEVATION
- INVERT ELEVATION
- NEW ELEVATIONS
- TOP OF CURB ELEVATIONS
- EXISTING ELEVATIONS
- TEMPORARY SILT FENCING



B.O.C. 14.00'

GUTTERS AND DOWN SPOUTS TO BE SEAMLESS ALUMINUM 24 GAUGE. GUTTERS TO BE OGGED IN CROSS SECTION. MINIMUM 6" WIDTH.

- NOTES:
- 1) DRAIN PIPE & FITTINGS WITHIN PROPERTY LINE SHALL BE POLYVINYL CHLORIDE PLASTIC PIPE, MEETING CLASS 100 C-900 PVC.
 - 2) ELEVATIONS SHOWN ARE M.S.L.
 - 3) FIELD VERIFY ALL ELEVATIONS AND DRAINAGE SYSTEM.
 - 4) MUCK OUT 24" DEEP FOR FOUNDATION PAD MINIMUM, OR TO UNDISTURBED SOIL CAPABLE OF 1500 PSF BEARING.
 - 5) DOWN SPOUTS SHALL FLOW INTO SUB-SURFACE DRAINAGE.
 - 6) THERE IS NO EVIDENCE OF EXISTING OFF-SITE FLOW CROSSING THE PROPERTY. NEW DRAINAGE CALCULATIONS ARE DETERMINED ACCORDINGLY.



SITE DRAINAGE PLAN
 SCALE 1"=10'