

FLOOR PLAN
SCALE: 1/4" = 1'



GA FILE NO. WP 1072 GENERIC


ONE LAYER 5/8" TYPE X GYPSUM WALLBOARD OR GYPSUM VENEER BASE
SPRUED PARALLEL ON ALL RIGHT ANGLES TO EACH SIDE OF 3x8" STEEL
STUDS AND 1/2" O.C. AT FLOOR AND CEILING RUNNERS AND INTERMEDIATE
STUDS

JOINTS STAGGERED 24" ON EACH SIDE AND ON OPPOSITE SIDES SOUND
BEARING) TESTED WITH 3-1/2" GLASS FIBER FRICION FIT IN STUD SPACE. (NON-LOAD

1 HOUR FIRE 45 TO 48 STC SOUND

THICKNESS: 4 PLY
APPROX. FRICTION: SEE WP 1000
FIRE TEST: OSU T-7704, 8451;
OSU T-7704, 8451;
812481 (ULC DESIGN W415)
NRC031816-NV, 2-3-81

SOUND TEST: NRC031816-NV, 2-3-81



DAMMON
ENGINEERING, INC.
CHIEF ENGINEER
EMMETT
DAMMON, P.E.
CHIEF ARCHITECT
ROBERT
WILTSE

554 OLD SPANISH TRAIL
SLIDELL, LA, 70458
OFFICE: 985-649-5632
FAX: 985-641-5950
WEBSITE:
WWW.DAMMONENGINEERING.COM
EMAIL:
DAMMONENG@Bellsouth.net

ARCHITECTURE
ENGINEERING
STUDIES
PLANNING
INVESTIGATION
EXPERT WITNESS

NEW
CHURCH

FIRST BAPTIST
CHURCH
64541 HWY 3081
PEARL RIVER, LA
70452

FLOOR
PLAN

REV:
SCALE: AS NOTED
JOB#: 2108
DATE: 04-26-11
SHEET 3

OF 14
A-1