

TIE INTO EXISTING SEWER MANHOLE LOCATED IN UTILITY SERVITUDE @ SOUTH END OF PROPERTY


PROVIDE IN-WALL VALVE BOX WITH COLD WATER @ 12" ABOVE SLAB. VERIFY LOCATION WITH OWNER PRIOR TO WORK

EXISTING SEWER CLEANOUT. FIELD LOCATE

NEW 60 GAL. ELEC. WATER HEATER ON 3/4" PLYWOOD DECK ABOVE CEILING

PLUMBING PLAN  
SCALE: 1/4" = 1'-0"

- NOTES:
1. PLUMBING CONTRACTOR SHALL MINIMIZE SLAB PENETRATIONS AND CUTTING BY ROUTING DRAIN LINES THROUGH WALLS AS NEEDED FOR SINKS. NEW TRUNK LINE SHALL BE SUB-SURFACE @ EXTERIOR OF SOUTH SIDE OF BUILDING. FIELD LOCATE ALL EXISTING LINES AND MAKE ADJUSTMENTS AS NEEDED. VERIFY WITH ENGINEER AND OWNER PRIOR TO WORK. SEE SHEET P-2 FOR ADDITIONAL PLUMBING NOTES.
  2. ALL NEW TOILETS SHALL BE BACK-FLUSH TYPE SO AS TO MINIMIZE SLAB PENETRATIONS.



**DAMMON ENGINEERING, INC.**

CHIEF ENGINEER  
EMMETT DAMMON, P.E.

CHIEF ARCHITECT  
ROBERT WILTSE

554 OLD SPANISH TRAIL  
SLIDELL, LA. 70458  
OFFICE: 985-649-5832  
FAX: 985-641-5950


WEBSITE:  
WWW.DAMMONENGINEERING.COM

EMAIL:  
DAMMONENG@BELLSOUTH.NET

- ARCHITECTURE
- ENGINEERING
- STUDIES
- PLANNING
- INVESTIGATION
- EXPERT WITNESS

BRIAN FONG, M.D. Inc.  
MEDICAL OFFICE  
2965 GAUSE BLVD.  
SLIDELL, LA

PLUMBING PLAN



REV:

SCALE: AS NOTED

JOB#: 2132

DATE: 04-17-12

SHEET 11

P-1

OF 12