


GENESIS PROJECT CHURCH

INTERIOR RENOVATION




GENERAL NOTES

ALL WORK AND MATERIALS SHALL CONFORM TO THE LATEST ADOPTED INTERNATIONAL BUILDING CODE, LIFE SAFETY CODE, THE LOUISIANA STATE UNIFORM CONSTRUCTION CODE AND ANY OTHER LOCAL REGULATIONS. GENERAL CONTRACTOR SHALL COORDINATE, APPLY AND PAY FOR ALL PERMITS, INSPECTIONS AND/OR CERTIFICATES, FROM APPLICABLE AGENCIES. GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR ALL MEANS, METHODS, TECHNIQUES, SEQUENCES, PROCEDURES AND REQUIRED SAFETY PRECAUTIONS TO ACCOMPLISH THE WORK. GENERAL CONTRACTOR SHALL COORDINATE ALL WORK AMONG DIFFERENT TRADES, AND WITH OWNER FOR OWNER SELECTED ITEMS. PROVIDE 5 FIRE EXTINGUISHERS, SEE DWG 517 FOR LOCATION. ALL ROOF AND EXTERIOR WALL PENETRATIONS SHALL BE FLASHED AND WATERPROOFED AS PER BUILDING STANDARDS. INSTALL ADA SIGNS AT TOILET ROOMS, EACH SIGN SHALL BE 8" x 6" MOUNTED PER ADA REQUIREMENTS. FURNISH SIGNS W/ ACCESSIBLE SYMBOL AND BRaille TYPE. THEY SHALL BE LABELED "WOMEN" & "MEN". PROVIDE LEAD BASED ON MAIN SPACE:
 • GALLERIES: NET 58.4 FT = 290 P.
 • OCCUPANT LOAD BASED ON MAIN SPACE:
 • 1P/75 FT, 2929 / 7 = 290 P.
 PARKING PROVIDED: 16 SPACES (INCLUDING 3 ACCESSIBLE SPACES)

SUMMARY:



• WORK: INTERIOR RENOVATION TO EXISTING BUILDING. NO EXTERIOR WORK BUT PAINTING. DESIGN BUILD.
 • NFPA 101: LIFE SAFETY CODE, 2015 ED. NEW ASSEMBLY CLASS C OCCUPANCY NOT SPRINKLED
 • IS-C INTERNATIONAL EXIST BUILDING CODE, 2015 ED. TYPE III-B NOT SPRINKLED / TYPE V-B NOT SPRINKLED
 • ADA 9.2.1.0
 • SQUARE FOOTAGE TABULATION (GROSS)
 1ST FLOOR (V-B) 2,487 S.F.
 1ST FLOOR (III-B) 2,597 S.F.
 2ND FLOOR (III-B) 2,557 S.F.
 TOTAL 7,641 S.F.

THIS SET OF CONSTRUCTION DOCUMENTS HAVE BEEN PREPARED BY ME OR UNDER MY CLOSE SUPERVISION, AND TO THE BEST OF MY KNOWLEDGE AND BELIEF THEY COMPLY WITH ALL PERISH AND STATE REQUIREMENTS. I AM NOT PROVIDING CONTRACT ADMINISTRATION.
 WILFREDO B. HARRINGTON
 ARCHITECT
 LA REG. NO. 3609



PROJECT #: 5802
 DATE: 12/13/17

INTERIOR RENOVATION FOR
 GENESIS PROJECT CHURCH
 2263 SECOND STREET
 SIDELL, LOUISIANA 70458




2263 SECOND STREET
 SIDELL, LOUISIANA
 LOT 12, 58.20 ROBERT ADDITION
 CITY OF SIDELL
 ST. TAMMANT PARISH, LA
 INFO PER SURVEY BY
 J.V. BUIKES & ASSOCIATES, INC.
 DATED 12/13/17



FIRST FLOOR PLAN - 1/8" = 12"


(SEE DWGS 5 AND 6 FOR LOCATION OF EXIST LIGHTS AND FIRE EXIT.)



2 of 7
FIRST FLOOR PLAN

DATE: 01/11/2020
PROJECT #: 2095

INTERIOR RENOVATION FOR
GLEBE'S PROJECT CHURCH
2263 SECOND STREET
SUDELL, LOUISIANA 70458



Sudell, Louisiana 70458



49'-9" (No. 2)

EXIST MTL STAIR TO REMAIN (7" R. INTERIOR) 15" O.D. PIPE HANDRAIL @ 35" ABOVE TREAD LINE W/ 1 1/2" MIN CLEARANCE FROM WALL. EXTEND 12" TOP & BOTTOM TO MEET CODE REQUIREMENTS. EXIST MTL SIDING.

GATHERING (CHAIRS)

EXIST CEILING, EXIST STEEL JOISTS & UNDERLIEING OF PLUMB SUBFLOORING (BOT OF JOISTS @ 9'-3" PAINT)

NEW CARPET FLOORING AS SELECTED

PROVIDE ACCESSIBLE FLOORING TRANSITION

4" x 8" SL. COL. TR. (ABOVE STAIR FLOOR)

STAIRS ERECT & H. ABOVE STAIR FLOOR

2 HR. UL-LISTED STD WALL UP TO BOT. OF ROOF DECK

EXIST 2x4's @ 16" O.C. W/ 5/8" GYP BD INSUL. FINISH LOWER 48" WITH 5/8" TRIP X GYP BD - PAINT

EXIST CMU UL-L905 PAINT

ALL NEW PARTITIONS: 2x4's @ 16" O.C. W/ 5/8" TRIP X GYP BD (NON BEARING, SIM TO U305) PROVIDE R13 BATT INSUL (SOUND)-PAINT

EXIST 2x4's @ 16" O.C. PROVIDE 2" RATED ASSEMBLY EXTEND TO BOT OF ROOF DECK. PROVIDE R13 INSULATION

EXIST 2" HIGH GYP BD CG. PAINT

NEW SHEET VINYL FLOORING AS SELECTED

NEW HDWR ON ACC.M.T. PLASTER OF DOORS

PROVIDE ACCESSIBLE CONC. LANDINGS

REMOVE EXIST 4" H. WINDOW PROVIDE NEW PAINT OR 36" x 60" DOORS AND TR. HARDWARE

EXIST BLC PANELS REMOVE THOSE NOT IN USE

EXIST MTL SIDING

EXIST MTL SIDING

EXIST MTL SIDING

EXIST MTL SIDING

EXIST MTL SIDING

EXIST MTL SIDING

EXIST MTL SIDING

EXIST MTL SIDING

EXIST MTL SIDING


EXIST MTL SIDING

EXIST MTL SIDING

1/4" SCALE
SYMBOLS
OK
7

DATE: 07/12/2002
PROJECT #: 2095

INTERIOR RENOVATION FOR
GENESIS PROJECT CHURCH
2263 SECOND STREET
SLIDELL, LOUISIANA 70458




- SYMBOLS**
- EXIST. ELECTRICAL PANEL, REWORK AS RCD.
 - RELOCATED ELEC. PANEL, REWORK AS RCD.
 - NEW WALL MOUNTED LED, 90 MINUTE COMED EXIT-EMERGENCY LIGHT, CONNECT TO EMER. CT.
 - EXIT SIGN WITH DIRECTIONAL ARROW, WALL MTD.
 - NEW WALL MTD LED, 90 MINUTE EMERGENCY LIGHT.
 - WALL MTD 1A:20 B.C. FIRE EXTINGUISHER, 60 A.F.F.
 - OLD MTD SMOKE DETECTOR W/BATTERY BACK-UP.
 - WALL SWITCH
 - THREE WAY SWITCH
 - DIMMER SWITCH
 - DUPLEX WALL RECEPTACLE, BREAK
 - EXIST. DUPLEX RECEPTACLE
 - EXIST. QUAD RECEPTACLE
 - EXIST. 200V RECEPTACLE
 - GROUND FAULT INTERRUPTER RECEPTACLE 2"

- CEILING MOUNTED VENT
- VENT-LIGHT
- JUNCTION BOX
- CEILING MTD HVAC DIFFUSER
- RETURN AIR GRILL
- VERTICAL AIR HANDLING UNIT, ELEC. HEAT & HIGH EFFICIENCY A/C
- CONDENSING UNIT

PARTIAL PLAN DETAIL - 1/4" = 12"

NON BEARING WALLS (SIM TO 11305) 2x4's/2x6's @ 16" O.C. WITH 5/8" TYPE X 5/8" BD. PAINT PROVIDE R13 BATT INSUL (50UNB). EXIST CLG: 8'-0" PAINT. FLOORING: SHEET VINYL PAINT EXIST CMU. BATHROOM ACCESS SELECTED BY OWNER. COMPLY W/ ADA 2010





LEGEND:
 ■ NEW 2x4S PARTITION
 --- EXIST PARTITION TO BE REMOVED
 MIRROR AS SELECTED BOTTOM EDGE OF THE COUNTERTOP @ 34" AFF PROVIDE 29" AFF MIN TO BOTTOM OF FRONT

PAINT 11:11905
EXIST CMU

5 OF 7
1st & 2nd FLOOR
ELECT.

DATE: 12/10/2022
PROJECT #: 5902

INTERIOR RENOVATION FOR
GENESIS PROJECT CHURCH
2063 SECOND STREET
SUDBILL, LOUISIANA 70458



◇ REFERENCE NOTES

1. EXIST. 8'-2 LAMP SURFACE MOUNTED LIGHT FIXTURE TO REMAIN, RELAMP AS READ.
2. EXIST. 2 LAMP SURFACE MOUNTED LIGHT FIXTURE TO REMAIN, RELAMP AS READ.
3. EXIST. 4-2 LAMP SURFACE MOUNTED LIGHT FIXTURE TO REMAIN, RELAMP AS READ.
4. EXIST. 4-2 LAMP SURFACE MOUNTED LIGHT FIXTURE TO REMAIN, RELAMP AS READ.
5. EXIST. RECESSED LIGHT FIXTURE TO REMAIN.
6. EXIST. RECESSED LIGHT FIXTURE TO BE REMOVED (1)
7. NEW 8' LED STRIP LIGHT FIXTURE W/ DIMMER SWITCH.
8. NEW 9' LED STRIP LIGHT FIXTURE W/ DIMMER SWITCH.
9. EXIST. 4x4 MTD SPEAKER, COORD W/ OWNER FOR REACTIVATION/USE (1)

10. EXIST. 4x4 MTD DIFFUSERS TO REMAIN, ONE TO BE RECALC WHERE NOTED.
11. EXIST. 4x4 MOUNTED OUTLETS, DISCONNECT/ABANDON-PROVIDE BLIND COVERS.
12. EXIST. 2x4 FLOOR LAMIN LIGHT FIXTURE TO REMAIN. (2ND FLOOR)
13. NEW 2x4 FLOOR LAMIN LIGHT FIXTURE (2ND FLOOR)
14. EXIST. 4-2 LAMP PENDANT FLOOR FIXTURE TO REMAIN (2ND FLOOR)
15. NEW 4' LED STRIP SURFACE MTD LIGHT FIXTURE (STAR)



(SEE DWG 4 FOR SYMBOL LEGEND)

FIRST FLOOR PLAN - ELECTRICAL - 1/8" = 1'-0"

6
 1st Floor
 HVAC/IDP

DATE: 07/27/2020
 PROJECT #: 2095

INTERIOR RENOVATION FOR
 GENESIS PROJECT CHURCH
 2263 SECOND STREET
 SIDELL, LOUISIANA 70458



sheet No. 1 of 1
2ND FLOOR
HVAC, P, E, L

DATE: 12/10/13
PROJECT #: 5902


INTERIOR RENOVATION FOR
GENESIS PROJECT CHURCH
2023 SECOND STREET
SLIDELL, LOUISIANA 70458

Wilfredo B. Harrington
ARCHITECT
SLIDELL, LOUISIANA 70458



EXIST. COND. ON EXIST.
BRACKETS (USE EXIST
COND. UNIT IF POSSIBLE)

SECOND FLOOR PLAN - HVAC, PUMBINQ - 1/8"=12"



(SEE DWG 4 FOR SYMBOL LEGEND)

SECOND FLOOR PLAN - ELECTRICAL - 1/8"=12"

