

**THE SAENGER
THEATRE RENEWAL
PROJECT**
142 North Rampart Street
New Orleans, LA

Client
Saenger Theatre Redevelopment Company
1800 Post Oak Boulevard, 6
Boulevard Place, Suite 450,
Houston, TX 77056

Architect
MARTINEZ+JOHNSON
ARCHITECTURE

1412 Eye St., NW
Washington, DC 20005
202.333.4480

Structural Engineer
Lundy & Franke Engineering, Inc.
549 Heimer Road, San
Antonio, TX 78232
210.970.7800

Theatre Consultant
Schuler Shook
123 Third Street North #210,
Minneapolis, MN 55401
612.339.5958

Acoustical Engineer
Akustiks
93 North Main Street, South
Norwalk, CT 06854
203.293.1904

MEP Engineer
JBA Consulting Engineers, Inc.
3525 N. Causeway Blvd., Suite
500 Metairie, LA 70002
504.880.0159

Civil Engineer
Linfield, Hunter, & Junius, Inc.
3606 18th Street Suite 200,
Metairie, LA 70002
504.833.5300

Architectural Historian
EHT Tracerics, Inc.
1121 Fifth Street NW
Washington, DC 20001
202.393.1199

THESE DRAWINGS, SPECIFICATIONS, AND OTHER DOCUMENTS (COLLECTIVELY, THE "DOCUMENTS") INCLUDING WITHOUT LIMITATION ELECTRONIC VERSIONS THEREOF AND THE IDEAS, DESIGNS AND ARRANGEMENTS REPRESENTED THEREBY ARE AND SHALL REMAIN THE PROPERTY OF MARTINEZ & JOHNSON ARCHITECTURE P.C. AS DEFINED BY APPLICABLE CONTRACTUAL AGREEMENTS (THE "AGREEMENTS") AND AS PROTECTED BY THE COPYRIGHT STATUTES OF THE UNITED STATES. USE OF THE DOCUMENTS SHALL BE STRICTLY LIMITED TO THE PROJECT FOR WHICH THEY WERE PREPARED AND DEVELOPED ("THE PROJECT") PER THE TERMS OF THE AGREEMENTS. NO PART OF THE DOCUMENTS SHALL BE COPIED, REPRODUCED, OR USED IN CONNECTION WITH ANY OTHER WORK OR PROJECT, OR BY ANY OTHER PERSONS FOR ANY PURPOSES, OTHER THAN THE COMPLETION OF THE PROJECT WITHOUT THE SPECIFIC WRITTEN AUTHORIZATION OF MARTINEZ & JOHNSON ARCHITECTURE P.C. THE DOWNLOADING, OPENING, OR VIEWING OF ELECTRONIC VERSIONS OF THE DOCUMENTS OR VISUAL CONTACT WITH ANY PRINTED FORM THEREOF SHALL CONSTITUTE CONCLUSIVE EVIDENCE OF ACCEPTANCE OF THESE RESTRICTIONS.

7502

DATE: No. REVISION:
06.16.10 1 PERMIT REVISION

DATE: ISSUE:
02.19.10 PERMIT SET
04.02.10 GMP CONTRACT SET
11.11.10 CONTRACT SET

SHEET TITLE:
DOOR SCHEDULE AND
FIRE SHUTTER SCHEDULE

A-5.12

DOOR SCHEDULE 3

DOOR NO.	LOCATION				DOOR								FRAME						SOUND RATING	LABEL (MIN.)	HW SET	FLOOD BARRIER / WATER TIGHT	REMARKS
	TO NAME	NO.	FROM NAME	NO.	NEW / EXIST.	W	H	THK	NO. OF LEAVES	TYPE	MATERIAL	FINISH	MATERIAL	TYPE	HEAD	JAMB	DETAILS SILL	ASTRAGAL					
03 MIDDLE BALCONY LEVEL																							
315A	LOBBY	300	CONFERENCE ROOM	315	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD19	JB19	SL4	-----	GASK-1	-----	53	-----	
315B	LOBBY	300	CONFERENCE ROOM	315	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD19	JB19	SL4	-----	GASK-1	-----	53	-----	
316A	STAIR 23	316	LOBBY	300	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL3	-----	-----	-----	40	-----	
317A	CSDC CONFERENCE ROOM	317	LOBBY	300	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL1	-----	-----	-----	40	-----	
319A	STAIR 23	319	LOBBY	300	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL7	-----	-----	90 MIN.	16	-----	
319B	STAIR 23	319	LOBBY	300	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL7	-----	-----	90 MIN.	16	-----	
320A			STAIR 18	320	NEW	4'-11"	6'-10"	0'-1 3/4"	2	Q1	HM	PTD.	HM	FR1	HD14	JB14	SL19	AS-1	STC 51	-----	13	-----	
324A	STAIR 18	320	MIDDLE BALCONY SEATING	324	EXIST.	4'-6"	7'-4"	0'-1 3/4"	2	S1	WD	STN.	WD	EXIST.	HD4	JB4	SL1	-----	-----	-----	74	-----	
324B	STAIR 19	325	MIDDLE BALCONY SEATING	324	EXIST.	4'-6"	7'-6"	0'-1 3/4"	2	R1	WD	STN.	WD	EXIST.	HD4	JB4	SL1	-----	-----	-----	74	-----	
325A			STAIR 19	325	NEW	4'-11"	6'-10"	0'-1 3/4"	2	Q1	HM	PTD.	HM	FR1	HD14	JB14	SL19	AS-1	STC 51	-----	13	-----	
327A	STAIR 7	327	CHORUS DRESSING ROOM	328	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD6	JB6	SL5	-----	GASK-1	90 MIN.	15	-----	
328A	ELEV. LOBBY	329	CHORUS DRESSING ROOM	328	NEW	3'-6"	7'-0"	0'-1 3/4"	1	A8	HM	PTD.	HM	FR1	HD6	JB6	SL10	-----	GASK-1	-----	53	-----	
330A	CHORUS DRESSING ROOM	328	TOILET	330	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD2	JB2	SL2	-----	-----	-----	61	-----	
04 UPPER BALCONY LEVEL																							
400A	LOBBY	400			NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD18	JB18	SL7	-----	GASK-1	180 MIN.	15	-----	
401A	FIRE PUMP	401	LOBBY	400	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL7	-----	-----	45 MIN.	35	-----	
402A	LOBBY	400	CORRIDOR	402	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL3	-----	-----	-----	49	-----	
402B	CORRIDOR	402			NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL5	-----	-----	180 MIN.	16	-----	
403A	CATERING KITCHEN	403	LOBBY	400	NEW	6'-0"	7'-0"	0'-1 3/4"	1	A4	HM	PTD.	HM	FR1	HD1	JB1	SL8	-----	-----	-----	48	-----	DOUBLE-ACTING
403B	CATERING KITCHEN	403	CORRIDOR	402	NEW	6'-0"	7'-0"	0'-1 3/4"	1	A2	HM	PTD.	HM	FR1	HD1	JB1	SL8	-----	-----	-----	47	-----	
404A	SERVER	404	CORRIDOR	402	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL1	-----	-----	-----	28	-----	
405A	BLDG. ENGINEER	405	CORRIDOR	402	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL1	-----	-----	-----	40	-----	
406A	ELEC. PANEL ROOM	406	CORRIDOR	402	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD19	JB19	SL9	-----	GASK-1	45 MIN.	26	-----	
407A	CORRIDOR	407	STAIR 13	408	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD8	JB8	SL1	-----	-----	45 MIN.	16	-----	
409A	ELEC. ROOM	409	CORRIDOR	407	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD6	JB6	SL9	-----	GASK-1	-----	27	-----	
410A	CORRIDOR	407	ELECTRICAL ROOM	410	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD6	JB6	SL9	-----	GASK-1	45 MIN.	25	-----	PROVIDE SIGNAGE ON DOOR STATING "ENTRANCE TO ROOM 410 SHALL AT NO TIME BE TEMPORARILY OR PERMANENTLY OBSTRUCTED."
411A	CORRIDOR	407	MECHANICAL ROOM	411	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD6	JB6	SL9	-----	GASK-1	-----	23	-----	
411B	CORRIDOR	407	MECHANICAL ROOM	411	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD6	JB6	SL9	-----	GASK-1	-----	23	-----	
412A	LOBBY	400	CLO.	412	NEW	2'-6"	7'-0"	0'-1 3/4"	1	A3	HM	PTD.	HM	FR1	HD1	JB1	SL7	-----	-----	-----	29	-----	
413A	LOBBY	400	ELEVATOR CLO.	413	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL7	-----	-----	-----	29	-----	
414A	STAIR 24	414	LOBBY	400	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL7	-----	-----	90 MIN.	16	-----	
415A	LOBBY	400	JANITOR	415	NEW	2'-6"	7'-0"	0'-1 3/4"	1	A3	HM	PTD.	HM	FR1	HD1	JB1	SL7	-----	-----	-----	29	-----	
416A	WOMEN'S ROOM	416	LOBBY	400	EXIST.	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL2	-----	-----	-----	65	-----	
417A	MEN'S ROOM	417	LOBBY	400	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL2	-----	-----	-----	65	-----	
418A	RECEPTION	418	LOBBY	400	NEW	6'-0"	7'-0"	0'-1 3/4"	2	M3	HM	PTD.	HM	FR1	HD1	JB1	SL1	-----	-----	-----	58	-----	
419A	STAIR 23	419	RECEPTION	418	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL7	-----	-----	90 MIN.	16	-----	
419B	STAIR 23	419	LOBBY	400	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL7	-----	-----	90 MIN.	16	-----	
420A	OFFICE	420	RECEPTION	418	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL1	-----	-----	-----	40	-----	
421A	OFFICE	421	RECEPTION	418	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL1	-----	-----	-----	40	-----	
422A	OFFICE	422	RECEPTION	418	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL1	-----	-----	-----	40	-----	
423A	OFFICE	423	RECEPTION	418	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL1	-----	-----	-----	40	-----	
424A	OFFICE	424	RECEPTION	418	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL1	-----	-----	-----	40	-----	
425A	KITCHEN	425	RECEPTION	418	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL3	-----	-----	-----	45	-----	
426A	STORAGE	426	RECEPTION	418	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD1	JB1	SL3	-----	-----	-----	28	-----	
427A	MEN'S ROOM	427	STAIR 18	428	NEW	3'-0"	7'-0"	0'-1 3/4"	1	Q2	WD	STN.	WD	EXIST.	HD4	JB4	SL2	-----	-----	-----	66	-----	
428A			STAIR 18	428	NEW	4'-11"	6'-10"	0'-1 3/4"	2	Q1	HM	PTD.	HM	FR1	HD14	JB14	SL19	AS-1	STC 51	-----	13	-----	
429A	LADIES' ROOM	429	STAIR 19	431	NEW	3'-0"	7'-0"	0'-1 3/4"	1	Q2	WD	STN.	WD	EXIST.	HD4	JB4	SL2	-----	-----	-----	66	-----	
430A	STAIR 19	431	UPPER BALCONY	430	EXIST.	4'-0"	8'-0"	0'-2"	1	T1	WD	STN.	WD	EXIST.	HD4	JB4	SL1	-----	-----	-----	74	-----	
431A			STAIR 19	431	NEW	4'-11"	6'-10"	0'-1 3/4"	2	Q1	HM	PTD.	HM	FR1	HD14	JB14	SL19	AS-1	STC 51	-----	13	-----	
433B	STAIR 7	433			NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD6	JB6	SL9	-----	GASK-1	90 MIN.	15	-----	
435A			DIMMER ROOM	435	NEW	3'-0"	7'-0"	0'-1 3/4"	1	A1	HM	PTD.	HM	FR1	HD10	JB10	SL9	-----	STC 49	90 MIN.	34	-----	
05 CONTROL ROOM LEVEL																							
430B	UPPER BALCONY	430			EXIST.	2'-8"	6'-5"	0'-1 3/4"	1	U1	WD	DEC. PTD.	WD	EXIST.	HD4	JB4	SL1	-----	-----	-----	38	-----	
430C	UPPER BALCONY	430			EXIST.	2'-8"	6'-5"	0'-1 3/4"	1	U1	WD	DEC. PTD.	WD	EXIST.	HD4	JB4	SL1						