

Tree # 1 Live Oak

Target # 1		Type of Target- Frequently parked vehicles. Occasional occupancy, walking.		
Part that could fail- dead limbs >3.5" in diameter.				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely--
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
	<i>Very Likely</i>	Low	Moderate	High
	<i>Likely</i>	Low	Moderate	High
	<i>Somewhat Likely</i>	Low	Low	Moderate
<i>Unlikely</i>	Low	Low	Low	
Risk Rating- HIGH				
Risk Mitigation Actions- Remove tree. Grind stump. Dispose of all grinding's. Backfill with river silt.				
Notes- Tree recently had roots damaged due to construction activities approximately 6' from base of				
Price	950			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
	<i>Very Likely</i>	Low	Moderate	High
	<i>Likely</i>	Low	Moderate	High
	<i>Somewhat Likely</i>	Low	Low	Moderate
<i>Unlikely</i>	Low	Low	Low	
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 2

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1	Type of Conflict- Excessive leaf build up on the roof. Limbs touching roof.			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate--	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Provide approximately 16 foot buffer over roof. Redirect remaining growth up				
Notes- Live oak with some recent root damage via construction approximately 14 feet away from				
Price	400			

Tree # 3 Live Oak

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- High				
Risk Mitigation Actions- remove tree				
Notes-				
Price	2100			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 4 live oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High	
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
		Likelihood of Impacting a Target			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Consequences					
Risk Rating- HIGH					
Risk Mitigation Actions- removal					
Notes-					
Price		2700			

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
		Consequences			
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 5 Live Oak

Target # 1		Type of Target- roof		
Part that could fail- 2-3 scaffold limbs growing over roof				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely--	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	LOW	Low
Risk Rating- LOW				
Risk Mitigation Actions- NONE				
Notes- Live Oak with no V crotches on specified scaffold limbs. Tree does have presence of				
Price				

Conflict # 1		Type of Conflict- driving/walking access around circle from lower limbs and		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate--	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Lift 4-5 limbs, 16' high, via reductions. Remove deadwood >3" diameter from				
Notes-				
Price.				
375				

Tree # 6 Live Oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High	
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Conflict # 1		Type of Conflict- Limbs growing near roof. Excessive leaf build up on the roof.			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High--	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating- HIGH					
Risk Mitigation Actions- Provide 12 feet of clearance over roof from limbs 3 1/2 inches and less in					
Notes- Live Oak. Good attachments.					
Price		550			

Tree # 7 live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict- Leaves on roof. Limbs touching roof.		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High--	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- Lift canopy 14' over roof from limbs <4" in diameter. Remaining growth				
Notes- Live Oak. Good attachments. Possibly remove other smaller trees around canopy to increase				
Price				

650

Tree # 8 live oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High	Likelihood of Impacting a Target
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating- HIGH					
Risk Mitigation Actions- remove due to residual risk. Buildings and fences on all sides of tree. Grind					
Notes-					
Price		3100			

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 9 water oak

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- removal due to species and immaturity.				
Notes-				
Price	875			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 10 live oak

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- removal due to small size and growth orientation over bleachers and				
Notes-				
Price	1500			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 11 live oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences				
	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Conflict #		Type of Conflict- limbs near light pole and growing towards fences.			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences				
	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High--	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating- HIGH					
Risk Mitigation Actions- install 2 cables for same main v crotch following ANSI as closely as possible.					
Notes-					
Price		2100			

Tree # 12 live oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High	Likelihood of Impacting a Target
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating- HIGH					
Risk Mitigation Actions- remove entire tree.					
Notes-					
Price		2350			

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 13. Live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict #1		Type of Conflict- limbs growing close to fence.		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High--	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- provide 14' clearance over fences, redirecting growth away from fences to				
Notes-				
Price				

Tree # 14 live oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High	Likelihood of Impacting a Target
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating- HIGH					
Risk Mitigation Actions- remove tree					
Notes-					
Price		2500			

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 15 pine tree

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- remove tree. No compression wood visible. Leaning tree.				
Notes-				
Price	2650			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 16. Live Oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Likelihood of Impacting a Target			High
	Unlikely	Low	Somewhat Likely	Medium	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely	Likely
	Unlikely	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Consequences			Severe
	Low	Minor	High	High	Extreme
	Low	Moderate	High	High	High
	Low	Low	Moderate	Moderate	Moderate
	Low	Low	Low	Low	Low
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price		850			

Conflict # 1		Type of Conflict- Excessive leaf buildup. Limbs touching roofs And impeding			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Consequences			Severe
	Low	Minor	High	High	Extreme
	Low	Moderate--	High	High	High
	Low	Moderate	Moderate	Moderate	Moderate
	Low	Low	Low	Low	Low
Risk Rating- MODERATE					
Risk Mitigation Actions- Provide 12 foot vertical buffer over all roofs, Removing limbs 4 inches caliper					
Notes-					
Price					

850

If sewer line has to be replaced this tree will suffer fairly significant impacts. Care should be taken to dig the trench as narrow as possible. May be a candidate for removal.

Tree # 17 live oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High	Likelihood of Impacting a Target
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating- high					
Risk Mitigation Actions- remove tree.					
Notes-					
Price		1850			

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 18 Live Oak

Target # Part that could fail-	Type of Target-			
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate--	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Provide 12 foot vertical buffer over all roofs, Removing limbs 4 inches caliper				
Notes- Will need to prepare fairly precise specifications for trees like this one				
Price	1200			

Conflict # 1	Type of Conflict- Limbs touching roofs. Excessive leaf buildup. Limbs hanging			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price	1200			

1200

Follow general recommendations in regards to sewer line replacement.

Tree # live oak

Target # Part that could fail-	Type of Target-			
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1	Type of Conflict- Excessive leaf buildup over roofs. Limbs touching roofs.			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate--	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Provide 12 foot vertical buffer over all roofs, Removing limbs 4 inches caliper				
Notes-				
Price				
1300				

1300

Follow general recommendations in regards to sewer line replacement.

Tree # 20 live oak

Target # 1		Type of Target- Dead limbs falling on sidewalk and over swimming pool area.			
Part that could fail- Dead limbs 2 to 3 inches in caliper.					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely--	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate--	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- Remove all dead limbs from 1 to 4 inches in Caliper over sidewalk and pool					
Notes- Tree has Ganoderma probably due to lead build up around basal flare.					
Price	700				

Conflict #	Type of Conflict-				
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree #21 removal

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- remove tree				
Notes- This rating depends on sewer line replacement.				
Price	3400			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 22 Live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>		Consequences		
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict- Excessive leaf buildup over roof area		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate--	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Provide 12 feet of clearance vertically over roof area. Remove dead wood				
Notes- Too much mulch around the base of tree.				
Price		400		

400

Tree needs to be removed due to sewer line replacement. Cost 2600.

Tree # 23 live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>		Consequences		
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict- Excessive leaf buildup over roof		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low--	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- LOW				
Risk Mitigation Actions-				
Notes- Very little canopy is over roof area.				
Price				

Tree # 24 live oak

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes- This rating will depend on sewer line replacement				
Price				

Conflict # 1	Type of Conflict- excessive leaf build up over roof. Limbs touching bldg.			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- moderate.				
Risk Mitigation Actions- Risk Mitigation Actions- Provide 12 foot vertical buffer over all roofs,				
Notes-				
Price				
1175				

1175

If sewer line has to be replaced this tree will suffer fairly significant impacts. Care should be taken to dig the trench as narrow as possible. May be a candidate for removal.

Target # 1					
Type of Target- Roofs and walking areas.					
Part that could fail- One of two codominant trunks.					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely--
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate--
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- Provide 30% weight reduction on both trunks. Pruned areas should be					
Notes- Significant V crotch. Not a lot of reactionary growth. Large flush cuts have been made on					
Price	2200				

Conflict # 1					
Type of Conflict- Excessive leaf buildup over roof. Limbs touching roof.					
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate--	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk mitigation actions- Provide 12 foot vertical clearance over roof, Removing limbs 3 inches in					
Notes-					
Price	650				

2850

If sewer line has to be replaced this tree will suffer fairly significant impacts. Care should be taken to dig the trench as narrow as possible. May be a candidate for removal.
 If both lines need to be replaced, then the root system will be too compromised and the tree should be removed. Cost 2,600

Tree # 26 live oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Likelihood of Impacting a Target			High
	Unlikely	Low	Unlikely	Medium	Very Likely
	Unlikely	Somewhat Likely	Likely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Consequences			Severe
	Low	Minor	Significant	Extreme	
	Low	Moderate	High	High	
	Low	Moderate	High	Moderate	
	Low	Low	Moderate	Moderate	
Low	Low	Low	Low		
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Conflict #1		Type of Conflict- Excessive leaf buildup over roof. Low limbs hanging over			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Consequences			Severe
	Low	Minor	Significant	Extreme	
	Low	Moderate--	High	High	
	Low	Moderate	High	Moderate	
	Low	Low	Moderate	Moderate	
Low	Low	Low	Low		
Risk Rating- MODERATE					
Risk Mitigation Actions- Lift canopy over roofline to 12 feet, removing limbs less than 4" in diameter.					
Notes-					
Price					

875

Tree # 27 live oak

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- Remove entire tree. Grind stump. Remove stump grinding's backfilling hole				
Notes- Remove tree due to codominant failure.				
Price	1100			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 28 live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict- Excessive leaf buildup over roof. Limbs touching roof.		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High--	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- Provide 10 foot buffer over roof removing limbs up to 5 inches in diameter.				
Notes-				
Price		1100		

Tree # 29 live oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact		Consequences			
	Negilgible	Minor	Significant	Severe	
<i>Very Likely</i>	Low	Moderate	High	Extreme	
<i>Likely</i>	Low	Moderate	High	High	
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate	
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Conflict # 1		Type of Conflict- Leaf buildup on roof. Limbs touching roof. Limbs hanging			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences				
	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- Provide 12 feet of vertical clearance over roof removing limbs up to 8 inches					
Notes-					
Price		1100			

Tree # 30 live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>		Consequences		
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict- Limbs touching roof line and hanging low over lawn area.		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate--	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Provide 12 foot vertical clearance over roofline and walkways and lawn area,				
Notes-				
Price		400		

Tree # 31 live oak

Target # 1		Type of Target- building			
Part that could fail- codominant trunk.					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely--	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate--	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- Remove entire tree. Trunk has crack in codominant trunk with visible					
Notes-					
Price		2800			

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 32 live oak

Target # 1		Type of Target- Building and new fence.			
Part that could fail- Codominanttrunk with low levels of reaction wood					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely--
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	--
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- Tree is recommended for removal. Remove tree grind stump dispose of					
Notes-					
Price 2800					

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 33 live oak.

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict- Leaf buildup on roof and limbs touching roof.		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High--	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- Provide 18 foot vertical clearance over roof. Prune limbs up to 4 inches in				
Notes-				
Price		1500		

Tree #34 live oak.

Target # Part that could fail-	Type of Target-			
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes- Low levels of risk.				
Price				

Conflict #1	Type of Conflict- Limbs hanging low over driving area and lawn.			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate--	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Lift canopy over Lawn to 12 feet moving limbs up to 4 inches in diameter.				
Notes-				
Price				
	400			

Tree # 35 water oak

Target # 1		Type of Target- building		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely--
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate--
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Remove entire tree.Grind stump and dispose of grindings. Backfill with River				
Notes- Tree has visible termite galleries. Visible boring holes. Visible carpenter ants.				
Price		1550		

Conflict #		Type of Conflict-		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

36 live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely--
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate--	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict-Excessive leaf buildup on roof. Limbs touching roof. Limbs		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate--	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Provide 12 foot buffer over roof areas Pruning limbs up to 4 inches in				
Notes-				
Price		750		

Tree # 37 live oak

Target # 1		Type of Target- Building and new fence.			
Part that could fail- Codominant trunk					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely--
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate--	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- Risk Mitigation Actions- Provide weight reduction on codominant trunk					
Notes-					
Price	1000				

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 38 live oak

Target # Part that could fail-	Type of Target-			
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict #1	Type of Conflict- Limb growing into spot light and around service drop.			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High--	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- Reduce one limb growing above spotlight. Reduction cut will be at limb				
Notes-				
Price				

575

Tree # 39 pecan

Target # 1		Type of Target- Building and walkway area.			
Part that could fail- Whole tree.					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely--
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
<hr/>					
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate--
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- Remove entire tree. Grind stump and remove stump grinding's. Backfill hole					
Notes- Tree is starting to die back top of canopy, is 2 1/2 feet away from walkway roof, and has decay					
<hr/>					
Price	1150				

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
<hr/>					
Price					

Tree#40 live oak

Target # 1		Type of Target- building			
Part that could fail- 3 codominant trunks with v crotches and not enough reaction wood.					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely--
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate--
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- reduce all 3 codominants by approx 20%, removing limbs up to 5" in					
Notes-					
Price		2200			

Conflict #1		Type of Conflict- excessive leaf build up on roof, limbs touching roof and			
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High--	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- HIGH					
Risk Mitigation Actions- provide 12' of vertical clearance over roofs, removing up to 4" caliper limbs.					
Notes- be careful not to exceed more than 30% canopy removal.					
Price		675			

Tree # 41

Target # 1		Type of Target- building		
Part that could fail- whole tree.				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely--
Unlikely	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact				
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate--
Low	Low	Low	Low	
Risk Rating- MODERATE				
Risk Mitigation Actions- remove entire tree due to species and proximity to bldg. (<8"). Grind stump,				
Notes-				
Price 1600				

Conflict #		Type of Conflict-		
Likelihood of Failure and Impact				
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
Low	Low	Low	Low	
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 42 live oak

Target # Part that could fail-	Type of Target-			
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict #1	Type of Conflict- Excessive leaf buildup over roof. Limbs hanging low over			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate--	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Provide 12 foot canopy lift over roof removing limbs up to 5 inches in				
Notes-				
Price				

850

Tree # 43 live oak

Target # 1					
Type of Target- building and walkway frequent use.					
Part that could fail- dead, dying limbs up to 5" in diameter.					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely-	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate-	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- Reduce stressed limbs (some have dieback) from canopy growing over					
Notes-					
Price	550				

Conflict #1					
Type of Conflict-excessive leaf build up on roofs. Low hanging roots near					
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High--	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- HIGH					
Risk Mitigation Actions- provide 12' of clearance over rooflines, removing up to 4" diameter limbs.					
Notes-					
Price	550				

1100

If sewer line has to be replaced this tree will suffer fairly significant impacts. Care should be taken to dig the trench as narrow as possible. May be a candidate for removal.

Tree # 44

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict #1		Type of Conflict- leaf build up on roof. Low limbs on roof, side of bldg, and		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High--	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- remove all limbs above roof and AC unit. Provide 10' lateral buffer from edge				
Notes-				
Price		900		

Tree # 45 live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict #1		Conflict type: leaf build up on roof. Low limbs hitting roof and side of bldg.		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate--	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Remove all limbs growing over roof and provide 8' lateral buffer to roof and				
Notes-				
Price				
575				

Tree # 46 live oak

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- remove tree and grind stump. Remove grindings. Backfill with river silt.				
Notes-				
Price	700			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 47

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict #1		Type of Conflict- leaf build up on roof. Low limbs hanging on roof and over		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate--	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- remove all limbs above roof areas. Provide 10' lateral buffer from sides of				
Notes-				
Price				

675

Tree # 48 live oak

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- remove tree and grind stump.				
Notes-				
Price	6600			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 49 live oak

Target # 1		Type of Target- Roof of metal building. Occasional use.			
Part that could fail- Dead and dying limbs up to 4 inches in caliper.					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely-
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High-	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- HIGH					
Risk Mitigation Actions- Reduce length of limbs over metal building by about 6 to 8 feet. Remove any					
Notes-					
Price		750			

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 50 Water Oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High--	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- high				
Risk Mitigation Actions- provide 12' buffer around lights, pruning limbs up to 6" in diameter.				
Notes-				
Price		475		

Conflict # 1		Type of Conflict- limbs encroaching on lights.		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 51 live oak.

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict- limbs growing close to fences.		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High--	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- high				
Risk Mitigation Actions- provide 15' vertical clearance over fences, pruning limbs up to 8" in diameter				
Notes-				
Price				

550

Tree # 52 live oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High	Likelihood of Impacting a Target
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating- high					
Risk Mitigation Actions- removal					
Notes- DO NOT GRIND STUMP					
Price		1200			

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 53 live oak

Target # Part that could fail-	Type of Target-			
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict #1	Type of Conflict- Excessive leaf buildup over roof and limbs touching roof.			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High-	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- Provide 12' buffer over roof line removing limbs up to 4" in caliper.				
Reduce density of remaining canopy over roof by 20%. Lift limbs over lawn by 12', limbs up to 2" caliper.				
Notes-				
Price				
550				

550

If sewer line has to be replaced this tree will suffer fairly significant impacts. Care should be taken to dig the trench as narrow as possible. May be a candidate for removal.

Tree # 54 live oak

Target # Part that could fail-	Type of Target-			
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict #1	Type of Conflict- Excessive leaf buildup on the roof. Limbs touching roofs and			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High-	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- Provide 12 feet of vertical clearance over roofs removing limbs up to 3 1/2				
Notes-				
Price				

950

If sewer line has to be replaced this tree will suffer fairly significant impacts. Care should be taken to dig the trench as narrow as possible. May be a candidate for removal.

Tree # 55

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict #1		Type of Conflict-Excessive leaf buildup over roof. Limbs hanging low over roof		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate--	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Provide 12 to 14 foot vertical clearance over rooflines removing up to 3 1/2				
Notes-				
Price		900		

Tree # 56

Target # 1		Type of Target- Building and walkways.			
Part that could fail- Whole tree.					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely--
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate--
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- Remove entire tree. Grind stump and remove all stump grinding. Backfill hole					
Notes- Tree appears to have lost one large trunk years ago and has not formed appropriate response					
Price	2000				

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 57 live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict-Excessive leaf buildup on the roof. Low limbs growing		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High-	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- Provide 12 feet vertical clearance over roof. Provide selective thinning of any				
Notes-				
Price		750		

Tree # 58

Target # Part that could fail-	Type of Target-			
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1	Type of Conflict- Excessive leaf buildup on roofs and hanging limbs near			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate-	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Lift canopies over rooflines by 12 feet removing up to 3 1/2 inch caliper				
Notes-				
Price				

950

If sewer line has to be replaced this tree will suffer fairly significant impacts. Care should be taken to dig the trench as narrow as possible. May be a candidate for removal.

Tree # 59 live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict- Excessive leaf buildup on roofs. Low hanging limbs on roofs.		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High-	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- Provide 12 feet of clearance over all roofs removing limbs up to 4 inches in				
Notes-				
Price		1250		

1250

If sewer line has to be replaced this tree will suffer fairly significant impacts. Care should be taken to dig the trench as narrow as possible. May be a candidate for removal.

Tree # 60. Live oak

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences				
	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Conflict #1		Type of Conflict- Excessive leaf buildup over roof limbs growing over pool			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences				
	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High	Extreme	
	Low	Moderate	High--	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating- HIGH					
Risk Mitigation Actions- Selectively thin canopy density over roof and pool area by 30% removing					
Notes-					
Price					

Tree # 61 live oak

Target # 1		Type of Target- building.			
Part that could fail- trunk wind whipping on roof. Trunk only 18" from roof.					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely--
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate--	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating- MODERATE					
Risk Mitigation Actions- Due to the tree being immature is recommended for removal before it					
Notes-					
Price		975			

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree #62 Live Oak

Target # Part that could fail-	Type of Target-			
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1	Type of Conflict- excessive leaf build up over roof. limbs close to roofs.			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- high				
Risk Mitigation Actions- lift limbs over roofs to 14', removing limbs up to 4" in caliper.				
Notes- Depends on sewer line placement.				
Price				
		1450		

1450

If both sewer lines need to be replaced tree should be removed. If only one needs to be replaced then general recommendations should be followed. Removal cost 2750

Tree # 63 live oak.

Target #		Type of Target-			
Part that could fail-					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High	Likelihood of Impacting a Target
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely	
	Unlikely	Unlikely	Unlikely	Unlikely	
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating-High					
Risk Mitigation Actions- removal					
Notes-					
Price		3000			

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe	Consequences
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes- Depends on sewer line placement.					
Price					

Tree # 64 live oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>		Consequences		
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict #1		Conflict type-leaf build up on roof. Low growing limbs hitting roof, building,		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate--	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- provide 12' buffer over roof. Provide 10' lateral buffer from edge of building,				
Notes-				
Price				

675

Tree # 65

Target # 1		Type of Target- building			
Part that could fail- whole side of tree (codominant).					
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	Unlikely	Somewhat Likely	Likely	Very Likely	
	Unlikely	Unlikely	Somewhat Likely	Likely	
	Unlikely	Unlikely	Unlikely	Somewhat Likely--	
Unlikely	Unlikely	Unlikely	Unlikely		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences				
	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate--	
Low	Low	Low	Low		
Risk Rating- MODERATE					
Risk Mitigation Actions- perform weight reduction on trunk growing towards building. Reduce 30% of					
Notes-					
Price		1300			

Conflict #1		Type of Conflict- leaf build up on roof. Limbs touching roof and building.			
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences				
	Negilgible	Minor	Significant	Severe	
	Low	Moderate	High--	Extreme	
	Low	Moderate	High	High	
	Low	Low	Moderate	Moderate	
Low	Low	Low	Low		
Risk Rating- high					
Risk Mitigation Actions- lift all canopies 12' above rooflines, walkways and lawn areas, removing					
Notes-					
Price		650			

Tree # 66 live oak

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- HIGH				
Risk Mitigation Actions- removal due to visible stress, probably from over mulching around base.				
Notes-				
Price	1275			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 67

Target # 1		Type of Target- Building. Frequent use.			
Part that could fail- Whole tree.					
Likelihood of Failure	Likelihood of Impacting a Target				
	Very Low	Low	Medium	High	
	<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
	<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely
	<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely	
Consequences					
Likelihood of Failure and Impact	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate--
	<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- MODERATE					
Risk Mitigation Actions- REMOVE ENTIRE TREE. GRIND THE STUMP, REMOVING GRINDING'S AND					
Notes- LOBLOLLY PINE WITH LARGE CANKER ON SIDE OF TRUNK CLOSEST TO BUILDING.					
Price	1350				

Conflict #		Type of Conflict-			
Likelihood of Failure and Impact	Consequences				
	Negilgible	Minor	Significant	Severe	
	<i>Very Likely</i>	Low	Moderate	High	Extreme
	<i>Likely</i>	Low	Moderate	High	High
	<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low	
Risk Rating-					
Risk Mitigation Actions-					
Notes-					
Price					

Tree # 68

Target # 1		Type of Target- Building. Frequent occupancy.		
Part that could fail- Whole tree				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate--
Low	Low	Low	Low	
Risk Rating- HIGH				
Risk Mitigation Actions- REMOVE THE ENTIRE TREE. GRIND STUMP. REMOVE STUMP GRINDING'S,				
Notes- Loblolly Pine Tree has visible canker, sap oozing, and wound, onside of tree closest to				
Price	1250			

Conflict #		Type of Conflict-		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 69. Pecan tree

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
		Likelihood of Impacting a Target		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict- Limbs touching roof and growing low enough to touch		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Negilgible	Minor	Significant	Severe
	Low	Moderate --	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- MODERATE				
Risk Mitigation Actions- Provide 14 foot vertical clearance from driveway, removing limbs <3" in				
Notes-				
Price				

Tree # 70 pecan

Target #	Type of Target-			
Part that could fail-				
Likelihood of Failure	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
<i>Imminent</i>	Unlikely	Somewhat Likely	Likely	Very Likely
<i>Probable</i>	Unlikely	Unlikely	Somewhat Likely	Likely--
<i>Possible</i>	Unlikely	Unlikely	Unlikely	Somewhat Likely
<i>Improbable</i>	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High--	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating- high				
Risk Mitigation Actions- remove tree				
Notes-				
Price	1100			

Conflict #	Type of Conflict-			
Likelihood of Failure and Impact	Consequences			
	Negilgible	Minor	Significant	Severe
<i>Very Likely</i>	Low	Moderate	High	Extreme
<i>Likely</i>	Low	Moderate	High	High
<i>Somewhat Likely</i>	Low	Low	Moderate	Moderate
<i>Unlikely</i>	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Tree # 71 Live Oak

Target #		Type of Target-		
Part that could fail-				
Likelihood of Failure <i>Imminent</i> <i>Probable</i> <i>Possible</i> <i>Improbable</i>	Likelihood of Impacting a Target			
	Very Low	Low	Medium	High
	Unlikely	Somewhat Likely	Likely	Very Likely
	Unlikely	Unlikely	Somewhat Likely	Likely
	Unlikely	Unlikely	Unlikely	Somewhat Likely
	Unlikely	Unlikely	Unlikely	Unlikely
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating-				
Risk Mitigation Actions-				
Notes-				
Price				

Conflict # 1		Type of Conflict- leaf build up on roof. Limbs growing to close to fence.		
Likelihood of Failure and Impact <i>Very Likely</i> <i>Likely</i> <i>Somewhat Likely</i> <i>Unlikely</i>	Consequences			
	Negilgible	Minor	Significant	Severe
	Low	Moderate--	High	Extreme
	Low	Moderate	High	High
	Low	Low	Moderate	Moderate
	Low	Low	Low	Low
Risk Rating- moderate				
Risk Mitigation Actions- reduce limbs growing toward bldg by 15', pruning limbs up to 5" in diameter.				
Notes-				
Price				

550