

1ST STREET

EXISTING DRIVEWAY TO BE REMOVED

GRASSPAVE COORDINATE W/ LANDSCAPE PLAN & ARCHITECT.

PROVIDE WEATHER PROOF/FI/OUTLET FOR FOUNTAIN VAULT. 120/208 3PHASE.

SLIDELL MUNICIPAL BUILDING #1

THE INTO EXISTING J-BOX 120/208 3 PHASE LOCATED AT COLUMN PROVIDED BY CITY.  
3#10 THWN, #12 GRND, 1" C.

CONTROLLER FOR SPRINKLER SYSTEM

EXISTING DRAINS TO REMAIN

BUILDING COMPLEX BUILDING #2

EXISTING DRAIN TO REMAIN

EXISTING SIDEWALK

EXISTING SIDEWALK

EXISTING SIDEWALK

EXISTING SIDEWALK

EXISTING SIDEWALK

EXISTING SIDEWALK

EXISTING SIDEWALK

EXISTING SIDEWALK

EXISTING CONCRETE WALK

EXISTING CONCRETE WALK

TIE INTO EXISTING WATER LINE WITH 1" PVC PIPE & VALVE. INSULATE ABOVE GROUND. PROVIDE 3" PVC CASING.

NEW SIDEWALK SHALL BE INSTALLED TO TOP OF FIRST STEP

PAVING LEGEND  
LONGITUDINAL JOINT  
TRANSVERSE JOINT  
T.O. GRATE ELEVATION  
INVERT ELEVATION  
NEW ELEVATIONS  
TOP OF CONCRETE  
EXISTING ELEVATIONS  
SHEET FLOW/ARROW  
NEW DROP INLET W/TEMP.  
SLIT FENCING  
DETECTABLE WARNING SYSTEM (CAST IN PLACE)

RELOCATED T.C. = 6.60 INV. = 4.92  
EXISTING T.C. = 7.0 INV. = 3.54  
EL. = 7.75

RELOCATED T.C. = 6.60 INV. = 4.92  
EXISTING T.C. = 7.0 INV. = 3.54  
EL. = 7.75

RELOCATED T.C. = 6.60 INV. = 4.92  
EXISTING T.C. = 7.0 INV. = 3.54  
EL. = 7.75

RELOCATED T.C. = 6.60 INV. = 4.92  
EXISTING T.C. = 7.0 INV. = 3.54  
EL. = 7.75

RELOCATED T.C. = 6.60 INV. = 4.92  
EXISTING T.C. = 7.0 INV. = 3.54  
EL. = 7.75

### CITY HALL PARKING LOT & COURT YARD

BOUS CAREN STREET  
SLIDELL, LA

JOB No: 2172

DATE: 04-15-13

DRAWN BY: CKD

CHECKED BY: CKD



# DAMMON ENGINEERING INC.

Architects & Engineers

CHIEF ENGINEER: EMMETT DAMMON, P.E.  
CHIEF ARCHITECT: KEVIN KINCHEN

554 OLD SPANISH TRAIL  
SLIDELL, LA 70458  
dammonengineering.com  
dammoneng@bellsouth.net  
PHONE: 985-649-5832  
FAX: 985-641-5950

### PAVING/DRAINAGE/WATER & POWER PLAN

SCALE: 1"=10'



BOUS CAREN STREET

PAVING/DRAINAGE  
WATER & POWER  
PLAN

SHEET No: 3 OF 8

# C2