







- NOTES:**
- 1) DRAIN PIPE & FITTINGS WITHIN PROPERTY LINE SHALL BE POLYVINYL CHLORIDE PLASTIC PIPE, MEETING CLASS 100 C-900 P.V.C.
 - 2) ELEVATIONS SHOWN ARE M.S.L.
 - 3) FIELD VERIFY ALL ELEVATIONS AND DRAINAGE SYSTEM PLACEMENT PRIOR TO START OF WORK.
 - 3) MUCK OUT 24\"/>
 - 4) DOWN SPOUTS SHALL FLOW INTO SUB-SURFACE DRAINAGE.

LEGEND:

- PROPERTY LINE
- SERVITUDE / EASEMENT
- SETBACK
- NEW BUILDING
- NEW DRAIN LINE
- NEW DROP INLET W/TEMP. SILT FENCING
- EXPANSION JOINT
- CONTROL JOINT
- SLOPE LINES
- T.O. GRATE ELEVATION
- INVERT ELEVATION
- NEW ELEVATIONS
- EXISTING ELEVATIONS
- TEMPORARY SILT FENCING



VICINITY MAP



<p>DAMMON ENGINEERING, INC. EMMETT DAMON</p> <p>ARCHITECT ROBERT SOLBERGER</p> <p>1095 FLORIDA AVENUE SLIDELL, LA, 70458 985-649-5832</p> <p>WEBSITE: WWW.DAMMONENGINEERING.CO EMAIL: DAMMONENG@BELLSOUTH.NET</p> <p>ARCHITECTURE ENGINEERING STUDIES PLANNING INVESTIGATION EXPERT WITNESS</p>	<p>NEW OFFICE BUILDING</p>	<p>PLATFORM CRANE POWELL DRIVE SLIDELL, LA</p>	<p>PAVING PLAN</p>	<p>REV:</p> <p>SCALE: AS NOTED</p> <p>JOB#: 1898</p> <p>DATE: 10-8-07</p> <p>SHEET 4</p>	<p>OF 25</p>
	<p>C-3</p>				